

LAVOR

SIMPLY STRONGER



2026

MAIN CATALOGUE LAVOR EQUIPMENT



lavor.com



LAVOR
SIMPLY STRONGER

20

YEARS ANNIVERSARY
2005 / 2025

Y O N G K A N G

LAVOR WASH EQUIPMENT CO., LTD.

The production branch of Lavorwash in China, reached an enviable milestone worthy of respect: founded in 2005, the company celebrated its 20th anniversary in 2025. The decision made by the Mantua-based company twenty years ago to expand into China to initially produce a small range of pressure washers for the local market has proven successful. Today, the product range has been significantly expanded and covers everything from pressure washers and vacuums for both domestic and professional use to professional floor scrubber dryers, to high-pressure pumps for industrial and agricultural applications, organized across 7 production lines. A positive contributing factor has surely been the choice to rely on an all-Italian management team to leverage the expertise developed by Lavorwash Italy over the years, helping the expansion of Lavorwash Equipment. This has turned the company into a solid and steadily growing business and a reliable partner for all the customers who have chosen it as their supplier over the years.

Another important milestone in its growth was its integration in 2017 into the Comet group from Reggio Emilia, a leading company in the cleaning, industrial, and agricultural markets, which brought further stability to Lavorwash and Yongkang Lavor Wash Equipment CO., LTD. Today, **Yongkang Lavor Wash Equipment CO., LTD.** spans a covered area of 30,000 square meters and employs approximately 110 people. The achieved success serves as motivation to continue in the direction undertaken, toward the development of new projects for an ongoing and consistent growth to offer customers increasingly wide and diversified product ranges.



LAVOR



Yongkang Lavor Wash Equipment CO., LTD. set up in 2005 as a manufacturing and commercial branch of Lavorwash Spa, Italian company set up in 1975, one of the world's most important manufacturers of high-tech cleaning systems for small and large surfaces for 50 years. Nowadays the company has an increasing consolidated turnover and more than 380 employees situated in several branches in Italy, China, Brazil, Mexico, France, Spain, Poland and UK.

The company recently celebrated the opening of its new headquarters which includes a warehouse, but more importantly a larger factory, with more space and improved organisation for production, for a total of 30,000 sqm and 150 employees

Technology and design

Relying on more than forty years of experience and on the technical know-how of Lavorwash Group, new models and new products are followed step by step by resident Italian engineers.

The opening of the new facility has led to an increase in the varieties of models in the range, providing greater flexibility in production and the possibility of developing new products.

Italian management

Italian managers, engineers and employees run the company. Yongkang Lavor Wash Equipment CO., LTD stretches over more than 30,000 square meters, with a growing number of employees continuously increasing.

Quality and service

The LAVOR brand assures the quality of all products certified by leading certificate Corporations such as GS, UL, TUV-SUD, and INMETRO. Product quality is also certified by in-house testing on 100% of products, and with the possibility of FFU certified work for individual clients.

The larger area of the new facility has allowed the company to streamline quality control thanks to the set-up of new testing spaces and rooms with new equipment.



**WATCH
THE VIDEO**





Lavorwash has an extensive R&D program aimed at improving the performance, durability and quality of its products, as well as developing new models, accessories and services to meet the needs of a market with a high rate of innovation and technological change. We research the development of new products, as well as the improvement and optimization of existing models. Lavorwash tests its research: technical staff employs sophisticated and modern technological systems; products are subjected to continual functional and performance tests.

Lavorwash creates attractive products, by combining innovative styling, reliability and ease of use in perfect harmony. We understand the importance of ergonomics: designers and technicians work in close collaboration to manufacture products which are easy to use, safe, efficient and truly stylish.

Lavorwash has finalized advanced technologies, thanks to which every product is the result of a sophisticated manufacturing process. We use production lines equipped with automatic testing stations which immediately identify any problems or defects and the assembly systems ensure constant quality levels.

Lavorwash supplies efficient and powerful systems ensuring high performance and the long life of the machines.

Lavorwash pursues constant improvement and always sets itself new goals and targets. Wide-ranging and consolidated experience, constant commitment to research, advanced manufacturing processes and customer service are the features which have resulted in Lavorwash becoming a worldleader in cleaning systems.

Lavorwash offers its customers consolidated and reliable support, becoming the ideal partner for a successful future.

Investing in research and development also means making strides in terms of product quality and eco-sustainability.

Whereas on the one hand, the improvement of our machines is aimed at meeting the practical needs of users, on the other hand this innovation is developed on the basis of an increasingly strong and shared environmental awareness.

First of all, the use of high pressure cleaners allows for water savings of at least 80% when compared to a normal garden hose. Moreover, we developed vacuum cleaners using high efficiency motors to achieve top performances and reduce energy consumption by 50%.



BACK TO GREEN

A New Future, Not Just a Colour.

LAVOR CELEBRATES ITS 50 YEARS WITH A COLOR REBRANDING ECHOING ITS ORIGINS

2025 will be the year of Lavor, the company that has made history in the world of home and professional cleaning. Fifty years ago, in 1975, an Italian dream was born from an ambitious vision of a small team of pioneers: creating innovative, affordable products capable of simplifying daily life. Today, that dream has become a global fact with more than 750 employees and a presence in 130 countries around the world.

To celebrate this historic milestone, Lavor decided to rewrite its visual identity starting with the core of its production: the hobby pressure cleaner, the queen of home cleaning. Yellow gives way to green, the color that marked the company's first steps, for a rebranding that looks to the future but with its roots firmly in the past.

NEW SHADES, SAME SOUL

The new Lavor green communicates more than it seems at first glance. The darker shades convey strength, durability and reliability, those qualities which have always defined the company's products. At the same time, the color focuses on a



WELCOME LAVOR GREEN

THE FUTURE IS ALREADY HERE.

**2026 IS
THE NEW 1975**

greener future, mirroring the desire to combine tradition and innovation to meet today's challenges.

Lavor's success through the decades: the legend of the EQ 20

Among the many stories that have marked Lavor's history, that of the EQ 20, one of the most iconic hobby pressure cleaners, deserves special mention. With its attractive design and high performance, the EQ 20 represented a perfect balance between affordability and quality, becoming one of the most popular models ever. Today, with its rebranding and return to green, that legacy of innovation and reliability is projected into the future, reinforcing Lavor's promise to its customers: to always offer products of excellence.

WHY REBRANDING MATTERS

Lavor's color rebranding is not just an exercise in style but a strategy aimed at strengthening the brand's identity and market presence:

- Enhancing the perception of Lavor products' quality: The green color gives products a more professional look, enhancing their quality and meeting new customer needs.
- Standing out from competition: In a highly competitive market, a distinctive color choice makes Lavor recognizable soon.
- Increasing recognizability: A strong color identity facilitates brand recall, either on the shelves or online.

WE ARE LAVOR, WE ARE SIMPLY STRONGER

The 50th anniversary is more than a celebration: it is a fresh start. Lavor looks to the future with the boldness of those who are not afraid to innovate and with an awareness of its roots. With the comeback of green, the company renews its promise of quality, reliability and vision.



2025

CHOOSE YOUR SYSTEM – CONSUMPTION + PERFORMANCE!

WASHING PROGRAM SYSTEM

High pressure cleaner with patented **Washing Program System**, offering the most suited washing program for each cleaning task.



PLUS:

- **Variable performances & connected load:** Motor & pump variable speed, flow rate and operating pressure adjustment without efficiency loss. **Maximized water and energy saving for each cleaning task**
- **Longer motor life:** Slow & progressive motor spinning start. No current peaks, less sparks and mechanical stress inside the motor. **Extended product working life**
- **higher value for money**
- **Working mode setting:** Solid rotative selector on the unit with 3 pre-set washing programs **simple selection of extensive tailored performances**



REMOTE CONTROL SYSTEM

Remote controlled high pressure cleaner with multiple **washing programs**. Thanks to the **REMOTE CONTROL** system, it is possible choose the most suitable washing program for your needs, among the 3 different **energy-saving** programs, **SOFT**, **MEDIUM** and **HARD**.



DIGITAL CONTROL SYSTEM

Digitally controlled high pressure cleaner with multiple **washing programs** and multilevel **safety system**.

Thanks to the **DIGITAL CONTROL** system (patented), it is possible to check the main functions of the machine (power, overheating detection, maintenance needed, **CHILD SAFETY**, operation light) and to choose the most suitable washing program for your needs, among the 3 different **energy-saving** programs, **SOFT**, **MEDIUM** and **HARD**.



COMPLETE SAFETY

	Power indicator.		ON / OFF switch with color change, red ON, blue OFF.
	Overheating indicator.		It indicates that the machine is running and working.
	Child safety system preventing from accidental use of the machine.		It indicates that the machine is in stand-by.
	Ordinary maintenance indicator.		It lights up when the machine stops automatically due to inactivity.

1 **SOFT**
50%
ENERGY SAVING



Outdoor wooden furniture, surfaces/plaster and bicycles.

2 **MEDIUM**
25%
ENERGY SAVING



Cars, motorbikes, quads, caravans, plastered walls, brick surfaces.

3 **HARD**
100%
POWER



Stone or concrete flooring, fences and gates, gardening tools.

DIGITAL CONTROL SYSTEM



1

2

3



50%
ENERGY SAVING

Outdoor wooden furniture, surfaces/plaster and bicycles.



25%
ENERGY SAVING

Cars, motorbikes, quads, caravans, plastered walls, brick surfaces.



100%
POWER

Stone or concrete flooring, fences and gates, gardening tools.



— CONSUMPTION
+ PERFORMANCE!

Digitally controlled high pressure cleaner with multiple **washing programs** and multilevel **safety system**.

Thanks to the **DIGITAL CONTROL** system (patented), it is possible to check the main functions of the machine (power, overheating detection, maintenance needed, **CHILD SAFETY**, operation light) and to choose the most suitable washing program for your needs, among the 3 different **energy-saving** programs, **SOFT**, **MEDIUM** and **HARD**.



COMPLETE SAFETY



CHILD SAFETY SYSTEM
prevents from accidental use



AUTO SWITCH OFF FUNCTION
prevents motor and pump
overheating, long-life cycle



MICRO LEAK DETECTION SYSTEM
micro leak detection for targeted
and quick intervention

Arrow3 150



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Turbo lance
- Rotary brush



code	36063-00084
barcode	8013298221431
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	38 x 38 h 60,5
pcs for pallet	24

Load Q.ty: 20'=324 40'=654 40' HQ=720

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

Available cod 36063-00090 arrow3 140

59/88
39
Cm → 36

STANDARD EQUIPMENT



Arrow3 Plus 150



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00085
barcode	8013298221448
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	40 x 40 h 68
pcs for pallet	24

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

Available cod 36063-00091 arrow3 plus 150

78/95
39
Cm → 36

STANDARD EQUIPMENT



Arrow4 Plus 160



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00086
barcode	8013298221455
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,4
packing dim. (cm)	40 x 40 h 68
pcs for pallet	24

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

78/95
39
Cm → 36

STANDARD EQUIPMENT





Arrow4 Plus 160 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00088
barcode	8013298221462
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	13
packing dim. (cm)	40 x 40 h 68
pcs for pallet	18

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm 36

STANDARD EQUIPMENT



Arrow4 Plus 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	36063-00089
barcode	8013298221486
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	40 x 40 h 68
pcs for pallet	18

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm 36

STANDARD EQUIPMENT



Arrow4 Plus 180 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	36063-00087
barcode	8013298221479
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	13
packing dim. (cm)	40 x 40 h 68
pcs for pallet	18

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm 36

STANDARD EQUIPMENT



HIGH PRESSURE CLEANERS

COLD WATER

LAVOR

Cosmos3 150



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Turbo lance
- Rotary brush



code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

59/88
39
Cm
36

STANDARD EQUIPMENT



Cosmos3 Plus 150



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	39 x 39 h 67
pcs for pallet	24

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

78/95
39
Cm
36

STANDARD EQUIPMENT



Cosmos4 Plus 160



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,4
packing dim. (cm)	39 x 39 h 67
pcs for pallet	24

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

78/95
39
Cm
36

STANDARD EQUIPMENT





Cosmos4 Plus 160 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	13
packing dim. (cm)	39 x 39 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



Cosmos4 Plus 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	39 x 39 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



Cosmos4 Plus 180 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	13
packing dim. (cm)	39 x 39 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



HIGH PRESSURE CLEANERS

COLD WATER

LAVOR

LVR3 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Turbo lance
- Rotary brush



code	36063-00075
barcode	8013298219179
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,5
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

59/88
39
Cm
36

STANDARD EQUIPMENT



LVR3 Plus 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00076
barcode	8013298219186
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	38,5 x 38,5 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

78/95
39
Cm
36

STANDARD EQUIPMENT



LVR4 Plus 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00077
barcode	8013298219193
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,4
packing dim. (cm)	38,5 x 38,5 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

78/95
39
Cm
36

STANDARD EQUIPMENT



LVR4 Plus 160 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Patio cleaner



code	36063-00078
barcode	8013298219209
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	14,5
packing dim. (cm)	38,5 x 38,5 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



LVR4 Plus 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	36063-00079
barcode	8013298219223
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	14,7
packing dim. (cm)	38,5 x 38,5 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



LVR4 Plus 180 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Digital Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	36063-00080
barcode	8013298219230
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	14,7
packing dim. (cm)	38,5 x 38,5 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

78/95
39
Cm → 36

STANDARD EQUIPMENT



new *REMOTE* CONTROL SYSTEM

– CONSUMPTION
+ PERFORMANCE!

50%
ENERGY SAVING



Outdoor wooden
furniture,
surfaces/plaster
and bicycles.

25%
ENERGY SAVING



Cars, motorbikes,
quads, caravans,
plastered walls,
brick surfaces.

100%
POWER



Stone or concrete
flooring, fences
and gates,
gardening tools.



CHOOSE YOUR WASHING
PROGRAM **REMOTELY**

LVR RC Series



Remote Control System which allows selecting the washing programs of your pressure washer remotely without having to move close to the machine or ever interrupting the washing cycle. Thanks to the simple and intuitive control panel on the spray gun, you can very easily choose from 3 default washing programs: SOFT for delicate surfaces, MEDIUM for quick and intense washing, HARD for the most difficult dirt.

LVR4 150 RC

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Remote Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Turbo lance

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	11,4
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=450 40'=932 40' HQ=1060

STANDARD EQUIPMENT



59/88
39
Cm
36



LVR4 Plus 180 RC

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Remote Control System**
- Telescopic handle
- Accessory storage facility
- Standard set of accessories
- Adjustable Foam System
- Hose-reel
- Turbo lance
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	39 x 39 h 67
pcs for pallet	18

Load Q.ty: 20'=252 40'=540 40' HQ=690

STANDARD EQUIPMENT



78/95
39
Cm
36



LVR1 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories

code	36150-00013
barcode	8013298219100
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	5,7
packing dim. (cm)	30 x 25 h 40
pcs for pallet	80

Load Q.ty: 20'=980 40'=2010 40' HC=2300

STANDARD EQUIPMENT



LVR1 Carry 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance

code	36150-00018
barcode	8013298219155
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	7,6
packing dim. (cm)	29,5 x 26,5 h 43
pcs for pallet	48

Load Q.ty: 20'=820 40'=1680 40' HC=2048

STANDARD EQUIPMENT



LVR1 Plus 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Patio cleaner

code	36150-00014
barcode	8013298219117
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	8,5
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456

Available cod 36150-00031 Lvr1 plus 120 without patio cleaner

STANDARD EQUIPMENT



LVR1 Plus 135



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush

code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	7,7
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456

STANDARD EQUIPMENT



LVR1 Plus 135



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush
- Patio cleaner

code	36150-00015
barcode	8013298219124
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	9,1
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456

STANDARD EQUIPMENT



LVR1 Extra 145



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Fixed brush

code	36150-00016
barcode	8013298219131
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8,7
packing dim. (cm)	29,5 x 26,5 h 56
pcs for pallet	36

Load Q.ty: 20'=648 40'=1344 40' HC=1496

STANDARD EQUIPMENT



LVR1 Extra 145



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	36150-00017
barcode	8013298219148
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	9,7
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456



STANDARD EQUIPMENT



LVR1 Extra 145



- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	36150-00019
barcode	8013298219162
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	10,3
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456



STANDARD EQUIPMENT



Arrow1 120

STANDARD EQUIPMENT

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance

code	36055-00112
barcode	8013298221837
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	6,5
packing dim. (cm)	30 x 25 h 40
pcs for pallet	64

Load Q.ty: 20'=810 40'=1660 40' HC=1875



Arrow1 Carry 120

STANDARD EQUIPMENT

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance

code	36055-00115
barcode	8013298222506
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	6,8
packing dim. (cm)	29,5 x 26,5 h 43
pcs for pallet	48

Load Q.ty: 20'=648 40'=1348 40' HC=1524



Arrow1 Plus 120

STANDARD EQUIPMENT

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance

code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	7
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=810 40'=1660 40' HC=1875





NEW

Arrow1 Plus 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Patio cleaner

code	36055-00116
barcode	801329822537
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	7
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=648 40'=1348 40' HC=1524

76
Cm
22
25

STANDARD EQUIPMENT



NEW

Arrow1 Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush

code	36055-00113
barcode	8013298221844
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	7
packing dim. (cm)	32,5 x 27,5 h 44
pcs for pallet	48

Load Q.ty: 20'=648 40'=1348 40' HC=1524

76
Cm
22
25

STANDARD EQUIPMENT



NEW

Arrow1 Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	36055-00114
barcode	8013298221851
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8,5
packing dim. (cm)	29,5 x 26,5 h 60
pcs for pallet	36

Load Q.ty: 20'=648 40'=1348 40' HC=1524

76
Cm
22
25

STANDARD EQUIPMENT



Dive 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories



code	36054-00132
barcode	8013298221028
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	5,6
packing dim. (cm)	25 x 30 h 40
pcs for pallet	60

Load Q.ty: 20'=980 40'=2010 40' HC=2300

Available also 110/120V - 60Hz version: 1300 psi
- 1.35 GPM (USA) - 1300W



STANDARD EQUIPMENT



Dive Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush



code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	6,9
packing dim. (cm)	26,5 x 29,5 h 45
pcs for pallet	36

Load Q.ty: 20'=820 40'=1710 40' HC=1930

Available also 110/120V - 60Hz version: 1400 psi
- 1.55 GPM (USA) - 1350W



STANDARD EQUIPMENT



Dive Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Water filter
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8
packing dim. (cm)	26,5 x 29,5 h 56
pcs for pallet	36

Load Q.ty: 20'=648 40'=1344 40' HC=1524

Available also 110/120V - 60Hz version: 1496 psi
- 1.55 GPM (USA) - 1350W



STANDARD EQUIPMENT





Run 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance

code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	6,5
packing dim. (cm)	29,5 x 26,5 h 45
pcs for pallet	60

Load Q.ty: 20'=820 40'=1710 40' HC=1930

Available also 110/120V - 60Hz version: 1300 psi - 1.35 GPM (USA) - 1300W

44
22
Cm
25

STANDARD EQUIPMENT



Run Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush

code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	7
packing dim. (cm)	29,5 x 26,5 h 45
pcs for pallet	36

Load Q.ty: 20'=820 40'=1710 40' HC=1930

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W

60
22
Cm
25

STANDARD EQUIPMENT



Run Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Patio cleaner
- Rotary brush

code	36054-00131
barcode	8013298220977
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8,5
packing dim. (cm)	29,5 x 26,5 h 56
pcs for pallet	36

Load Q.ty: 20'=648 40'=1344 40' HC=1524

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W

Available cod 36054-00131 run extra 145

66
22
Cm
25

STANDARD EQUIPMENT



Fast 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories

code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	6
packing dim. (cm)	25 x 30 h 40
pcs for pallet	60

Load Q.ty: 20'=980 40'=2010 40' HC=2300

Available also 110/120V - 60Hz version: 1300 psi - 1.35 GPM (USA) - 1300W

Available cod 36055-00109 fast 120 UK plug

STANDARD EQUIPMENT



Fast Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush

code	36055-00111
barcode	8013298221677
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	7,7
packing dim. (cm)	32,5 x 27,5 h 44
pcs for pallet	48

Load Q.ty: 20'=710 40'=1500 40' HC=1800

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W

Available cod 36055-00110 fast 135 UK plug

STANDARD EQUIPMENT



Fast Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8,5
packing dim. (cm)	32,5 x 27,5 h 44
pcs for pallet	48

Load Q.ty: 20'=710 40'=1500 40' HC=1800

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W

STANDARD EQUIPMENT



One 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories

code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	5,6
packing dim. (cm)	25 x 30 h 40
pcs for pallet	60

Load Q.ty: 20'=980 40'=2010 40' HC=2300

Available also 110/120V - 60Hz version: 1300 psi - 1.35 GPM (USA) - 1300W



STANDARD EQUIPMENT



One Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush

code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	6,9
packing dim. (cm)	26,5 x 29,5 h 45
pcs for pallet	36

Load Q.ty: 20'=820 40'=1710 40' HC=1930

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W



STANDARD EQUIPMENT



One Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8
packing dim. (cm)	26,5 x 29,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W



STANDARD EQUIPMENT



Smart 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories



code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	5,6
packing dim. (cm)	25 x 30 h 40
pcs for pallet	60

Load Q.ty: 20'=980 40'=2010 40' HC=2300

Available also 110/120V - 60Hz version: 1300 psi
- 1.35 GPM (USA) - 1300W

37
17
Cm
21

STANDARD EQUIPMENT



Smart Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Fixed brush



code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	6,9
packing dim. (cm)	26,5 x 29,5 h 45
pcs for pallet	36

Load Q.ty: 20'=820 40'=1710 40' HC=1930

Available also 110/120V - 60Hz version: 1400 psi
- 1.55 GPM (USA) - 1350W

60
22
Cm
25

STANDARD EQUIPMENT



Smart Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8
packing dim. (cm)	26,5 x 29,5 h 60
pcs for pallet	36

Load Q.ty: 20'=608 40'=1258 40' HC=1456

Available also 110/120V - 60Hz version: 1400 psi
- 1.55 GPM (USA) - 1350W

66
22
Cm
25

STANDARD EQUIPMENT



HIGH PRESSURE CLEANERS

COLD WATER

LAVOR



NJ 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Patio cleaner

code	36046-00116
barcode	8013298219339
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	8,7
packing dim. (cm)	39,5 x 29 h 54
pcs for pallet	24

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1300 psi - 1.35 GPM (USA) - 1300W



STANDARD EQUIPMENT



NJ Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Fixed brush
- Patio cleaner

code	36046-00117
barcode	8013298219353
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	9
dimensions (cm)	39,5 x 29 h 54
pcs for pallet	24

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W



STANDARD EQUIPMENT



NJ Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	36046-00118
barcode	8013298219360
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	9,4
dimensions (cm)	39,5 x 29 h 54
pcs for pallet	24

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1500 psi max - 1.55 GPM (USA) max - 1400W



STANDARD EQUIPMENT



Ninja 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Accessory storage facility
- Ergonomic handle
- Standard set of accessories
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	120
max delivery rate (l/h)	360
abs. power (W)	1700
weight (Kg)	6,8
packing dim. (cm)	39 x 26 h 52
pcs for pallet	36

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1300 psi - 1.35 GPM (USA) - 1300W

49
Cm
26
26

STANDARD EQUIPMENT



Ninja Plus 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	8
dimensions (cm)	39 x 26 h 52
pcs for pallet	24

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1400 psi - 1.55 GPM (USA) - 1350W

74
Cm
26
26

STANDARD EQUIPMENT



Ninja Extra 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Accessory storage facility
- Ergonomic handle
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	145
max delivery rate (l/h)	420
abs. power (W)	2100
weight (Kg)	8,5
dimensions (cm)	39,5 x 26 h 52
pcs for pallet	36

Load Q.ty: 20'=436 40'=916 40' HC=1072

Available also 110/120V - 60Hz version: 1500 psi max - 1.55 GPM (USA) max - 1400W

74
Cm
26
26

STANDARD EQUIPMENT



Rise 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Turbo lance
- Accessory storage facility
- Standard set of accessories
- Inlet filter
- Patio cleaner



code	on request
barcode	-
max pressure bar	120
max delivery rate l/h	360
abs. power W	1700
weight	7,2 Kg
dimensions	29,5 x 26,5 h 54 cm
pcs for pallet	48

Load Q.ty: 20'=648 40'=1348 40' HC=1524

Available also 110/120V - 60Hz version: 1300 psi max - 1.35 GPM (USA) max - 1300W

Not available for EU market



STANDARD EQUIPMENT



Rise UP 135

- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Rotary brush
- Turbo lance
- Patio cleaner
- Fixed brush
- Inlet filter



code	on request
barcode	-
max pressure bar	135
max delivery rate l/h	420
abs. power W	1900
weight	9,4 Kg
dimensions	29,5 x 40 h 55
pcs for pallet	24

Load Q.ty: 20'=436 40'=896 40' HC=1048

Available also 110/120V - 60Hz version: 1400 psi max - 1.55 GPM (USA) max - 1350W

Not available for EU market



STANDARD EQUIPMENT



Rise HR 145

- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Inlet filter
- Patio cleaner



code	on request
barcode	-
max pressure bar	145
max delivery rate l/h	450
abs. power W	2100
weight	10,2 Kg
dimensions	29,5 x 39,5 h 53 cm
pcs for pallet	32

Load Q.ty: 20'=436 40'=896 40' HC=1052

Available also 110/120V - 60Hz version: 1500 psi max - 1.55 GPM (USA) max - 1400W

Not available for EU market



STANDARD EQUIPMENT





DGT 180

- Three pistons, aluminium pump head with built-in by-pass valve
- **Digital Control System**
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10,4
packing dim. (cm)	38 x 29 h. 56
pcs for pallet	24

Load Q.ty: 20'=456 40'=960 40' HQ=1116

Available also 110/120V - 60Hz version: 1500 psi
- 1.55 GPM (USA) - 1400W



STANDARD EQUIPMENT



DGT 180 Plus

- Three pistons, aluminium pump head with built-in by-pass valve
- **Digital Control System**
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner
- Pipe cleaning hose 6 m.



code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10,4
packing dim. (cm)	37 x 37 h. 56
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=868

Available also 110/120V - 60Hz version: 1600 psi
- 1.80 GPM (USA) - 1500W



STANDARD EQUIPMENT





Predator 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	12,4
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT



Predator 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

code	36051-00067
barcode	8013298219469
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	12
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT



Predator 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT





Predator 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36051-00068
barcode	8013298219544
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,9
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT



Predator 180 WPS

- Three pistons, aluminium pump head with built-in by-pass valve
- **Washing program system**
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36051-00069
barcode	8013298219551
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,9
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT



Predator 180 Digit

- Three pistons, aluminium pump head with built-in by-pass valve
- **Digital Control System**
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner
- Pipe cleaning hose 6 m.

code	36051-00070
barcode	8013298219568
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	13,6
packing dim. (cm)	39 x 39 h 61
pcs for pallet	18

Load Q.ty: 20'=255 40'=545 40' HQ=600

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT





Space 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W



STANDARD EQUIPMENT



Space 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10
packing dim. (cm)	30 x 38 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

On request available also version with hose-reel in pressure



STANDARD EQUIPMENT



Space 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,6
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

On request available also version with hose-reel in pressure



STANDARD EQUIPMENT





Galaxy 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Fixed brush
- Patio cleaner

code	36040-00238
barcode	8013298220144
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	9,7
packing dim. (cm)	39,5 x 29,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=892 40' HQ=108

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W



STANDARD EQUIPMENT



Galaxy 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Patio cleaner

code	36040-00239
barcode	8013298220151
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,8
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=460 40'=744 40' HQ=874

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W



STANDARD EQUIPMENT



Galaxy 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36040-00240
barcode	8013298220168
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120V - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W



STANDARD EQUIPMENT





NEW

Universe 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Fixed brush
- Patio cleaner

code	36040-00247
barcode	8013298221639
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,4
packing dim. (cm)	39,5 x 29,5 h 58
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

77
25
Cm
30

STANDARD EQUIPMENT



NEW

Universe 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

code	36040-00248
barcode	8013298221653
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10,4
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=432 40'=892 40' HQ=1008

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

77
25
Cm
30

STANDARD EQUIPMENT



NEW

Universe 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36040-00249
barcode	8013298221660
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

86
27
Cm
31

STANDARD EQUIPMENT





Planet 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	14,5
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=450 40'=932 40' HQ=1060
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



Planet 180 WPS

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- **Washing program system**
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36060-00031
barcode	8013298219711
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,1
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



Planet 180 Extra

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner
- Pipe cleaning hose 6 m.

code	36060-00032
barcode	8013298219728
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,8
packing dim. (cm)	37 x 37 h 56
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=868
Available also 110V-60Hz version on request



STANDARD EQUIPMENT





Stargate 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Fixed brush
- Patio cleaner

code	36058-00087
barcode	8013298221073
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10
packing dim. (cm)	39,5 x 29,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=892 40' HQ=1008

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

Available cod. 36058-00090 stargate 150 with rotary brush



STANDARD EQUIPMENT



Stargate 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

code	36058-00088
barcode	8013298221080
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

Available cod. 36058-00091 stargate 160 with Patio cleaner L25

Available cod. 36058-00094 stargate 160 without patio and brush
On request available also version with hose-reel in pressure



STANDARD EQUIPMENT



Stargate 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	36058-00089
barcode	8013298221097
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11,6
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

Available cod. 36058-00092 stargate 180 with pipe cleaning hose 6m

On request available also version with hose-reel in pressure



STANDARD EQUIPMENT



Epic 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=450 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W



STANDARD EQUIPMENT



Epic 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	11
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=450 40'=932 40' HQ=1060

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W



STANDARD EQUIPMENT



Epic 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12
packing dim. (cm)	29,5 x 39,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=892 40' HQ=1008

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W



STANDARD EQUIPMENT





STM 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Fixed brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	8,9
packing dim. (cm)	59,5 x 26,5 h 31
pcs for pallet	36

Load Q.ty: 20'=546 40'=1148 40' HQ=1312

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W



STANDARD EQUIPMENT



STM 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	10,1
packing dim. (cm)	29,5 x 39,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=892 40' HQ=1008

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W



STANDARD EQUIPMENT



STM 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner
- Pipe cleaning hose 6 m.

code	36040-00241
barcode	8013298220960
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,4
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

Available cod. 36040-00241 STM 180



STANDARD EQUIPMENT





Prime 180

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	15
packing dim. (cm)	40,5 x 40,5 h 70
pcs for pallet	18

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120V - 60Hz version: 1600 psi max - 1.80 GPM (USA) max - 1500W



STANDARD EQUIPMENT



Prime 180 Extra

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner
- Pipe cleaning hose 6 m.

code	on request
barcode	-
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	15,6
packing dim. (cm)	40,5 x 40,5 h 70
pcs for pallet	18

Load Q.ty: 20'=210 40'=435 40' HQ=522

Available also 110/120V - 60Hz version: 1800 psi max - 1.90 GPM (USA) max - 1600W



STANDARD EQUIPMENT



Jet 100

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Standard set of accessories



code	36146-00007
barcode	8013298220922
max pressure (bar)	105
max delivery rate (l/h)	330
abs. power (W)	1500
weight (Kg)	4
packing dim. (cm)	40 x 25 h 27
pcs for pallet	84

Available Jet 60: 870 psi - 1.05 GPM (USA) - 1000W

22,5
Cm
18
31,2

STANDARD EQUIPMENT



Hero 105

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Standard set of accessories
- Ergonomic handle



code	36057-00018
barcode	8013298222599
max pressure (bar)	105
max delivery rate (l/h)	300
abs. power (W)	850
weight (Kg)	6
packing dim. (cm)	40 x 25,5 h 31
pcs for pallet	60

Load Q.ty: 20'=898 40'=1878 40' HC=2148

24
Cm
18
30

STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Split 120

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Ergonomic handle
- Standard set of accessories
- External detergent suction probe



code	36056-00001
barcode	8013298204441
max pressure (bar)	120
max delivery rate (l/h)	360
abs. power (W)	1800
weight (Kg)	12
packing dim. (cm)	40 x 24 h 33
pcs for pallet	60

Load Q.ty: 20'=868 40'=1778 40' HC=2032

Available also 110/120V - 60Hz version: 1800 psi - 1.6 GPM (USA) - 1600W

27
Cm
18
41

STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



LVR5 145

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-holder
- Telescopic handle
- Automatic Stop System
- Built-in detergent tank for direct suction
- Accessory storage facility
- Turbo lance
- Patio cleaner

code	36064-00025
barcode	8013298219667
max pressure (bar)	145
max delivery rate (l/h)	450
abs. power (W)	2200
weight (Kg)	14
packing dim. (cm)	38,5 x 38,5 h 58
pcs for pallet	18

Load Q.ty: 20'=318 40'=663 40' HQ=879

Available also 110V-60Hz version on request

59/88
39
Cm 36



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



LVR5 Plus 150

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Telescopic handle
- Automatic Stop System
- Built-in detergent tank for direct suction
- Accessory storage facility
- Professional hose R1
- Professional metal lance (M22)
- Turbo lance (M22)
- Patio cleaner

code	36064-00023
barcode	8013298219636
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2300
weight (Kg)	15,5
packing dim. (cm)	37 x 37 h 76
pcs for pallet	18

Load Q.ty: 20'=270 40'=558 40' HQ=649

Available also 110V-60Hz version on request

59/88
39
Cm 36



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



LVR5 Plus 150 Digit

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Digital Control System
- Hose-reel in pressure
- Telescopic handle
- Automatic Stop System
- Built-in detergent tank for direct suction
- Professional metal lance (M22)
- Professional hose R1
- Turbo lance (M22)
- Patio cleaner

code	36064-00024
barcode	8013298219650
max pressure (bar)	150
max delivery rate (l/h)	500
abs. power (W)	2300
weight (Kg)	18
packing dim. (cm)	37 x 37 h 76
pcs for pallet	12

Load Q.ty: 20'=270 40'=558 40' HQ=649

Available also 110V-60Hz version on request

78/95
39
Cm 36



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



With hose-reel in pressure



Pascal 20

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Built-in detergent tank for direct suction
- Accessory storage facility
- Standard set of accessories
- Turbo lance

code	36052-00002
barcode	8013298206766
max pressure (bar)	140
max delivery rate (l/h)	400
abs. power (W)	2100
weight (Kg)	15,5
packing dim. (cm)	37 x 37 h 56
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=868
Available also Pascal 20 with patio cleaner 36052-00007

Available also 110V-60Hz version on request



**BRUSHLESS
INDUCTION
MOTOR POWERED**

STANDARD EQUIPMENT



Pascal 20 Plus

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo nozzle
- Set of 4 nozzles

code	36052-00005
barcode	8013298207374
max pressure (bar)	140
max delivery rate (l/h)	400
abs. power (W)	2100
weight (Kg)	16
packing dim. (cm)	37 x 37 h 56
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=868

Available also 110V-60Hz version on request



**BRUSHLESS
INDUCTION
MOTOR POWERED**

STANDARD EQUIPMENT



Pascal 23 Pro

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Built-in detergent tank for direct suction
- Accessory storage facility
- Professional metal lance (**M22**)
- Professional hose R1
- Turbo lance (**M22**)

code	36052-00036
barcode	8013298215188
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2300
weight (Kg)	18
packing dim. (cm)	37 x 37 h 56
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=868

Available also 110V-60Hz version on request



**BRUSHLESS
INDUCTION
MOTOR POWERED**

STANDARD EQUIPMENT





Ikon 140

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance

code	on request
barcode	-
max pressure (bar)	140
max delivery rate (l/h)	360
abs. power (W)	2000
weight (Kg)	14,5
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Ikon 160 Plus

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Turbo lance

code	36059-00098
barcode	8013298222612
max pressure (bar)	160
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	15,5
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060
Available also without hose reel in pressure
36059-00002
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Ikon 200 EXTREME

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Professional metal lance (M22)
- Professional hose R1
- Set 4 nozzles
- Turbo nozzle

code	on request
barcode	-
max pressure (bar)	200
max delivery rate (l/h)	300
abs. power (W)	2300
weight (Kg)	18
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**





Cruiser 140

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance

code	36059-00046
barcode	8013298211791
max pressure (bar)	140
max delivery rate (l/h)	360
abs. power (W)	2000
weight (Kg)	14,9
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



BRUSHLESS
INDUCTION
MOTOR POWERED



Cruiser 140 PRO

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Professional metal lance (M22)
- Professional hose R1
- Turbo lance (M22)

code	36059-00070
barcode	8013298213795
max pressure (bar)	140
max delivery rate (l/h)	450
abs. power (W)	2200
weight (Kg)	17,4
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



BRUSHLESS
INDUCTION
MOTOR POWERED



Cruiser 150 PRO

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Professional metal lance (M22)
- Patio cleaner
- Professional hose R1
- Turbo lance (M22)

code	36059-00071
barcode	8013298213801
max pressure (bar)	150
max delivery rate (l/h)	500
abs. power (W)	2300
weight (Kg)	20,5
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874
Available also 110V-60Hz version on request



STANDARD EQUIPMENT



With hose-reel
in pressure

BRUSHLESS
INDUCTION
MOTOR POWERED





Cruiser 160 Plus

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Turbo lance

code	36059-00047
barcode	8013298211807
max pressure (bar)	160
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	16,4
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110V-60Hz version on request



STANDARD EQUIPMENT



With hose-reel in pressure

BRUSHLESS
INDUCTION
MOTOR POWERED



Cruiser 160 Plus with patio cleaner

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Patio cleaner

code	36059-00054
barcode	8013298212026
max pressure (bar)	160
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	17,6
packing dim. (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110V-60Hz version on request



STANDARD EQUIPMENT



With hose-reel in pressure

BRUSHLESS
INDUCTION
MOTOR POWERED



Cruiser 200 EXTREME

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Ergonomic handle
- Accessory storage facility
- Professional metal lance (M22)
- Professional hose R1
- Set 4 nozzles
- Turbo nozzle

code	36059-00048
barcode	8013298211838
max pressure (bar)	200
max delivery rate (l/h)	300
abs. power (W)	2300
weight (Kg)	17,7
packing dim. (cm)	38 x 30 h 57
pcs for pallet	24

Load Q.ty: 20'=452 40'=932 40' HQ=1060

Available also 110V-60Hz version on request



STANDARD EQUIPMENT



With hose-reel in pressure

BRUSHLESS
INDUCTION
MOTOR POWERED



Rhino 140

STANDARD EQUIPMENT



- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- External detergent suction probe
- Accessory storage facility
- Standard set of accessories
- Turbo lance

code	on request
barcode	-
max pressure (bar)	140
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	18,30
packing dim. (cm)	60 x 37 h 47,5
pcs for pallet	24

Load Q.ty: 20'=176 40'=384 40' HC=480

Available also 110/120V - 60Hz version: 1700 psi
- 1.5 GPM (USA) - 1500W



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Rhino 150

STANDARD EQUIPMENT



- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- External detergent suction probe
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance

code	on request
barcode	-
max pressure (bar)	150
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	19,40
packing dim. (cm)	60 x 37 h 47,5
pcs for pallet	24

Load Q.ty: 20'=176 40'=384 40' HC=480

Available also 110/120V - 60Hz version: 1800 psi
- 1.6 GPM (USA) - 1600W



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Rhino 160

STANDARD EQUIPMENT



- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- External detergent suction probe
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance

code	on request
barcode	-
max pressure (bar)	160
max delivery rate (l/h)	390
abs. power (W)	2200
weight (Kg)	19,40
packing dim. (cm)	60 x 37 h 47,5
pcs for pallet	24

Load Q.ty: 20'=176 40'=384 40' HC=480

Available also 110/120V - 60Hz version: 1800 psi
- 1.6 GPM (USA) - 1600W



**BRUSHLESS
INDUCTION
MOTOR POWERED**





Shadow 26

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Built-in detergent tank for direct suction
- Hose-holder
- Accessory storage facility
- Standard set of accessories

code	36048-00123
barcode	8013298218004
max pressure (bar)	170
max delivery rate (l/h)	530
abs. power (W)	2600
weight (Kg)	24
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC= N.A.



STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Shadow 28

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Accessory storage facility
- Turbo lance
- Fixed brush
- Rotary brush
- Set of 4 nozzles

code	36048-00124
barcode	8013298218011
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2800
weight (Kg)	24,7
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.



STANDARD EQUIPMENT



**BRUSHLESS
INDUCTION
MOTOR POWERED**



With hose-reel in pressure



Shadow 28 PRO

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Automatic Stop System
- Built-in detergent tank for direct suction
- Professional hose R1
- Hose-reel in pressure
- Accessory storage facility
- Professional metal lance (**M22**)
- Turbo lance (**M22**)

code	36048-00125
barcode	8013298218028
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2800
weight (Kg)	25
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.



**BRUSHLESS
INDUCTION
MOTOR POWERED**

STANDARD EQUIPMENT



With hose-reel in pressure





Vertigo 22

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Accessory storage facility
- Turbo lance
- Fixed brush

code	36048-00130
barcode	8013298222377
max pressure (bar)	150
max delivery rate (l/h)	400
abs. power (W)	2200
weight (Kg)	24
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.

Floor loaded not available.



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



Vertigo 28

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Accessory storage facility
- Turbo lance
- Fixed brush
- Rotary brush
- Set of 4 nozzles

code	36048-00131
barcode	8013298222384
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2800
weight (Kg)	25,4
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.

Floor loaded not available.



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



Vertigo 28

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel in pressure
- Accessory storage facility
- Turbo lance
- Fixed brush
- Rotary brush
- Set of 4 nozzles

code	36048-00003
barcode	8013298201211
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2800
weight (Kg)	25,4
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.

Floor loaded not available.



BRUSHLESS
INDUCTION
MOTOR POWERED

STANDARD EQUIPMENT



Vertigo 26 PRO

STANDARD EQUIPMENT

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Automatic Stop System
- Built-in detergent tank for direct suction
- Professional hose R1
- Accessory storage facility
- Professional metal lance (**M22**)
- Turbo lance (**M22**)

code	36048-00117
barcode	8013298216628
max pressure (bar)	170
max delivery rate (l/h)	530
abs. power (W)	2600
weight (Kg)	26,1
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.

Floor loaded not available.



**BRUSHLESS
INDUCTION
MOTOR POWERED**



Vertigo 28 PRO

STANDARD EQUIPMENT

- Low maintenance motor
- Three pistons, **brass pump head** with built-in by-pass valve
- Automatic Stop System
- Built-in detergent tank for direct suction
- Professional hose R1
- Hose-reel in pressure
- Accessory storage facility
- Professional metal lance (**M22**)
- Turbo lance (**M22**)

code	36048-00064
barcode	8013298211531
max pressure (bar)	180
max delivery rate (l/h)	510
abs. power (W)	2800
weight (Kg)	26,2
packing dim. (cm)	40,5 x 40,5 h 60
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=N.A.

Floor loaded not available.



**BRUSHLESS
INDUCTION
MOTOR POWERED**



High pressure cleaners with combustion engine



Cleaning freedom: wash whatever you want, whenever you need without electricity. With Independent and Lander series it is possible. Thanks to their powerful combustion engines, these machines do not require any electrical power supply. Their sturdy frames and large wheels make their transport easy even on challenging surfaces. This range is recommended for washing vehicles, external areas, boats, patios etc.

Lander 2800

STANDARD EQUIPMENT



- Unleaded gasoline engine
- Easy start system
- Built-in detergent tank for direct suction
- Three pistons, aluminium pump head
- Accessory holder
- Hose-holder
- Professional hose R1
- Ergonomic handle
- Standard set of accessories (M22)
- Set 3 nozzles

code	36066-00061
barcode	8013298219520
max pressure (bar)	210
max delivery rate (l/h)	630
RPM	3600 - 4 stroke
motor power (hp)	6,5
weight (Kg)	30,5
packing dim. (cm)	55 x 53 h. 59
pcs for pallet	16



Q.ty: 20'=120 40'=264 40' HC=352

Floor loaded not available.



Lander 3000

STANDARD EQUIPMENT



- Unleaded gasoline engine
- Three pistons, **brass pump head**
- Accessory holder
- Built-in detergent tank for direct suction
- Hose-holder
- Ergonomic handle
- Standard set of accessories (M22)
- Professional hose R1
- 3 mt garden hose
- Set 3 nozzles

code	36066-00062
barcode	8013298219537
max pressure (bar)	220
max delivery rate (l/h)	630
RPM	3600 - 4 stroke
motor power (hp)	6,5
weight (Kg)	32
packing dim. (cm)	55 x 53 h. 59
pcs for pallet	16



Q.ty: 20'=120 40'=264 40' HC=352

Floor loaded not available.



Independent 2700

STANDARD EQUIPMENT



- Unleaded gasoline engine
- Easy start system
- Three pistons, aluminium pump head
- Accessory holder
- Professional hose R1
- Hose-holder
- Ergonomic handle
- Standard set of accessories (M22)
- Set 5 nozzles

code	on request
barcode	-
max pressure (bar)	200
max delivery rate (l/h)	600
RPM	3600 - 4 stroke
motor power (hp)	6,5
weight (Kg)	29
packing dim. (cm)	47 x 57 h 57
pcs for pallet	8



Q.ty: 20'=144 40'=288 40' HC=384

Floor loaded not available.



Independent 2800

STANDARD EQUIPMENT



- Unleaded gasoline engine
- Three pistons, **brass pump head**
- Accessory holder
- Hose-holder
- Professional hose R1
- Ergonomic handle
- Standard set of accessories (M22)
- Professional hose R1
- 3 mt garden hose
- Set 5 nozzles

code	36066-00064
barcode	8013298221509
max pressure (bar)	210
max delivery rate (l/h)	630
RPM	3600 - 4 stroke
motor power (hp)	6,5
weight (Kg)	30
packing dim. (cm)	47 x 57 h 59
pcs for pallet	12




Q.ty: 20'=144 40'=288 40' HC=384

Floor loaded not available.



Accessories



Pipe cleaning hose



Cold water pipe cleaning hose with quick connection

on request	Mt. 6 pipe cleaning hose
on request	Mt. 15 pipe cleaning hose

Pipe cleaning hose M22

on request	Mt. 10 pipe cleaning hose M22
------------	-------------------------------



Brushes



Cold water brushes with quick connections

on request	Fixed brush
on request	Rotary brush
on request	Brush for car rims



Plastic lances

Cold water high pressure lance with quick connection

	on request	Adjustable fan jet lance
	on request	High-Low pressure lance
	on request	High pressure lance
	on request	high pressure lance with turbo and variojet nozzle
	on request	Turbo lance
	on request	High pressure curved lance - jet angle 30°



Metal lances

Cold water lance

	on request	lance
	on request	Adjustable fan jet lance
	on request	Adjustable fan jet lance M22
	on request	Turbo lance
	on request	Brass turbo lance M22

Accessories



High pressure gun



Cold water high pressure gun with quick connection

on request Gun S09

on request Gun S10Y

High pressure gun M22

on request Gun S02 C-M22



Foam lance



Cold water foam lance with quick connection

on request Foam lance + bottle



Foam system



Cold water foam System with quick connection

on request Foam lance + bottle



High pressure hose extension



Cold water high pressure hose/extension hose

on request 6m High pressure hose



Water filter



Water filter 3/4"M-3/4"F

on request Water filter

on request Filter

Accessories



180° nozzle

on request 180° high pressure nozzle



Fan Jet nozzle

on request Fan jet nozzle Ø 0.9

on request Fan jet nozzle Ø 0.95

on request Fan jet nozzle Ø 1



Chemical nozzle

on request Chemical nozzle



Variojet nozzle

on request Variojet nozzle Ø 0.9

on request Variojet nozzle Ø 0.95

on request Variojet nozzle Ø 1

on request Variojet nozzle Ø 1.05



Turbo nozzle

on request Turbo nozzle 1.025

on request Turbo nozzle 1.1



Accessories

Patio cleaner Ø 25

10001-14087



Patio cleaner Ø 28

10001-14086





Dozzy 20XS

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 4 pivoting wheels.
- Flex hose 1,5 m with valve.
- Washable filter.
- Power cable 5 m.

code	40035-00038
barcode	8013298221875
Power W	1000 (max 1200)
Column depress. mbar/kPa	180/18
Tank capacity l.	20
Suction air l/s	40
weight (Kg)	7
packing dim. (cm)	38,5 x 38,5 h 47
pcs for pallet	24

Load Q.ty: 20'=420 40'=870 40' HC=1008

Available cod. 40035-00043 dozzy 20 XES with power tools socket



STANDARD EQUIPMENT



Dozzy 30XS

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 2 pivoting wheels.
- Flex hose 2 m with valve.
- Washable filter.
- Power cable 5 m.

code	40035-00039
barcode	8013298222421
Power W	1000 (max 1200)
Column depress. mbar/kPa	180/18
Tank capacity l.	30
Suction air l/s	40
weight (Kg)	8
packing dim. (cm)	38,5 x 38,5 h 65
pcs for pallet	18

Load Q.ty: 20'=316 40'=644 40' HC=716



STANDARD EQUIPMENT



Dozzy 30XES

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 2 pivoting wheels.
- Flex hose 2 m with valve.
- Washable filter.
- Power cable 5 m.
- Power tools socket.

code	40035-00040
barcode	8013298222476
Power W	1000 (max 1200)
Column depress. mbar/kPa	180/18
Tank capacity l.	30
Suction air l/s	40
weight (Kg)	8,5
packing dim. (cm)	38,5 x 38,5 h 65
pcs for pallet	18

Load Q.ty: 20'=316 40'=644 40' HC=690



STANDARD EQUIPMENT



NEW



Dozy Power 20XS

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 4 pivoting wheels.
- Flex hose 1,5 m with valve.
- Washable filter.
- Power cable 5,4 m.

code	40035-00031
barcode	8013298218929
Power W	1200 (max 1400)
Column depress. mbar/kPa	240/24
Tank capacity l.	20
Suction air l/s	40
weight (Kg)	7
packing dim. (cm)	38,5 x 38,5 h 47
pcs for pallet	24

Load Q.ty: 20'=420 40'=870 40' HC=1008



STANDARD EQUIPMENT



NEW



Dozy Power 30XS

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 2 pivoting wheels.
- Flex hose 2 m with valve.
- Washable filter.
- Power cable 5,4 m.

code	40035-00032
barcode	8013298218936
Power W	1200 (max 1400)
Column depress. mbar/kPa	240/24
Tank capacity l.	30
Suction air l/s	40
weight (Kg)	8
packing dim. (cm)	38,5 x 38,5 h 65
pcs for pallet	18

Load Q.ty: 20'=316 40'=644 40' HC=716



STANDARD EQUIPMENT



NEW



Dozy Power 30XES

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- S.S. tank.
- Filter shaker
- Blowing function
- 2 pivoting wheels.
- Flex hose 2 m with valve.
- Washable filter.
- Power cable 5,4 m.
- Power tools socket.

code	40035-00033
barcode	8013298218943
Power W	1200 (max 1400)
Column depress. mbar/kPa	240/24
Tank capacity l.	30
Suction air l/s	40
weight (Kg)	8,5
packing dim. (cm)	38,5 x 38,5 h 65
pcs for pallet	18

Load Q.ty: 20'=316 40'=644 40' HC=690



STANDARD EQUIPMENT



DVC 12 PT

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- Plastic tank.
- 4 pivoting wheels.
- Flex hose 1.5 m with valve.
- Cloth filter.
- Power cable 4 m.

code	40026-00039
barcode	8013298222919
Power W	1000 (max 1200)
Column depress. mbar/kPa	170/17
Tank capacity l.	12
Suction air l/s	40
weight (Kg)	4,5
packing dim. (cm)	36 x 36 h 34
pcs for pallet	54

Load Q.ty: 20'=576 40'=1152 40' HC=1344



STANDARD EQUIPMENT



DVC 20 XT

- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- Accessory storage facility.
- Stainless steel tank.
- Power cable holder.
- 4 pivoting wheels.
- Flex hose 1.5 m with valve.
- Washable filter.
- Power cable 4 m.
- Electrostatic shock inhibitor

code	40026-00037
barcode	8013298222452
Power W	1000 (max 1200)
Column depress. mbar/kPa	180/18
Tank capacity l.	20
Suction air l/s	40
weight (Kg)	5,1
packing dim. (cm)	38,5 x 38,5 h 34
pcs for pallet	30

Load Q.ty: 20'=540 40'=1080 40' HC=1260



STANDARD EQUIPMENT



Available also **DVC 30 XT**, 30 l. tank capacity, on request



Dozzy 20 IE

- **Carpet cleaner, spray extraction units**
- Silenced motor.
- Double electrical insulation.
- Suction system with by-pass cooling.
- **Filter cleaning system**
- Accessory storage facility.
- Stainless steel tank.
- Power cable holder.
- 4 wheels.
- Flex hose 2.5 m with valve.
- 2l detergent solution tank
- Power cable 4,5 m.

code	40035-00034
barcode	8013298219643
Power W	1100 (max 1300)
Column depress. mbar/kPa	200/20
Tank capacity l.	20
Suction air l/s	40
weight (Kg)	8,6
packing dim. (cm)	40 x 39 h 64
pcs for pallet	24

Load Q.ty: 20'=312 40'=648 40' HC=648



STANDARD EQUIPMENT



Ash vacuum cleaners



LAVOR ash vacuum cleaners: A complete range for cleaning of fireplaces, wood burning stoves, pellets burning stoves and barbecues. To vacuum soot or ash from the fireplace easily and without dirtying around. Avoiding to obstruct or damage domestic vacuum cleaners, unsuited for vacuuming thin ash. The ideal solution: ash vacuum cleaner LAVOR are indispensable for barbecue cleaning and thanks to its blowing function, Ashley vacuum cleaner range is equipped with a special long lasting multipurpose washable filter.

Ashley 4.0

- Silenced motor
- Double electrical insulation
- Painted steel tank
- Metal lance
- Hepa washable filter
- Additional prefilter
- Coated metal flex hose 0,43 m

code	40057-00001
barcode	8013298217625
Power W	max 500
Column depress. mbar/kPa	170/17
Tank capacity l.	4
Suction air l/s	15,5
weight (Kg)	2,3
packing dim. (cm)	21,5 x 23,5 h 30,5
pcs for pallet	90

Load Q.ty: 20'=1819 40'=4030 40' HC=4554



STANDARD EQUIPMENT



Ashley Free

- Silenced motor
- Double electrical insulation
- Painted steel tank
- Hepa washable filter
- Additional prefilter
- 1m coated metal flex hose
- Blowing function
- 30 minute battery life
- Battery and charger included

code	40061-00001
barcode	8013298220953
Power	18V - 4Ah
Column depress. mbar/kPa	86/8,6
Tank capacity l.	13,5
Suction air l/s	16,2
weight (Kg)	2,9
packing dim. (cm)	30 x 30 h 39
pcs for pallet	54

Load Q.ty: 20'=714 40'=1508 40' HC=1710



STANDARD EQUIPMENT



**Ashley 112**

- Silenced motor
- Double electrical insulation
- Painted steel tank
- Hepa washable filter
- Additional prefilter
- 1m coated metal flex hose
- Blowing function

code	40029-00014
barcode	8013298217571
Power W	max 800
Column depress. mbar/kPa	180/18
Tank capacity l.	18
Suction air l/s	36
weight (Kg)	4
packing dim. (cm)	32 x 32 h 39
pcs for pallet	54

Load Q.ty: 20'=714 40'=1508 40' HC=1710



STANDARD EQUIPMENT

**Ashley 412**

- Silenced motor
- Double electrical insulation
- Painted steel tank
- Hepa washable filter
- Additional prefilter
- 1m coated metal flex hose
- **Suction flow regulation**
- Blowing function

code	40029-00015
barcode	8013298217588
Power W	max 1000
Column depress. mbar/kPa	150/15
Tank capacity l.	18
Suction air l/s	30,4
weight (Kg)	4
packing dim. (cm)	32 x 32 h 39
pcs for pallet	54

Load Q.ty: 20'=714 40'=1508 40' HC=1710



STANDARD EQUIPMENT

**Ashley 416**

- Silenced motor
- Double electrical insulation
- Painted steel tank
- Hepa washable filter
- Additional prefilter
- 1m coated metal flex hose
- Trolley with 4 pivoting wheels.
- **Suction flow regulation**
- Blowing function

code	40029-00017
barcode	8013298218547
Power W	max 1000
Column depress. mbar/kPa	150/15
Tank capacity l.	18
Suction air l/s	30,4
weight (Kg)	5
packing dim. (cm)	37 x 37 h 42
pcs for pallet	24



STANDARD EQUIPMENT



Being Manufacturers: from experience to knowledge



In the high-pressure cleaners market companies are divided in those who buy components to assemble products and manufacturers, who have a continuous R&D on all product components. Lavor manufactures all high-pressure cleaners components entirely and this allows: to spread product knowledge, culture and experience inside the company; to check the entire manufacturing cycle; to adopt possible improvements immediately; better sensitivity to market request adjusting product range design in real time.

KAB 1409 XP

STANDARD EQUIPMENT

- Three steel pistons, **brass axial pump head** with built-in by-pass valve.
- Total Stop.
- Suction and delivery S. S. valves.
- Power cable holder.
- Accessory holder.

code	36147-00001
operating pressure bar	140 (max 180)
max delivery rate l/h	540
abs. power W/Voltage	2800 - 220V~50Hz
RPM	2800
weight	26,2 Kg
packing dim. (cm)	52,5 x 38 h 45
pcs for pallet	24



10002-12584



00080-04949



10 m

00080-02389

Q.ty: 20'=198 40'=432 40' HC=432

Floor loaded not available.



KAB 2W 1409 XP

STANDARD EQUIPMENT

- Three steel pistons, **brass axial pump head** with built-in by-pass valve.
- Total Stop.
- Suction and delivery S. S. valves.
- Power cable holder.
- Accessory holder.

code	36147-00004
operating pressure bar	140 (max 180)
max delivery rate l/h	540
abs. power W/Voltage	2800 - 230V~50Hz
RPM	2800
weight	32 Kg
packing dim. (cm)	54,5 x 45,5 h 58
pcs for pallet	12



10002-12584



00080-02541



00080-02801



8 m


00080-02420

Q.ty: 20'=198 40'=432 40' HC=432

Floor loaded not available.



Efficiency, reliability, safety and ease of use



These are the basic factors for a careful selection of a professional product. On the ground of these standards, Lavor has conceived professional line high-pressure cleaners, in order to match, through high-tech products, perfect hygiene and clean with time/labour saving.

KAB 1408 LP

- Three pistons, aluminium pump head with built-in by-pass valve
- Total stop
- Suction and delivery Stainless steel valves.
- Integrated detergent suction with external suction probe
- Pressure regulator.
- Glycerine pressure gauge.
- Accessory holder.
- Ergonomic handle.

code	36153-00004
operating pressure bar	130 (max 140)
max delivery rate l/h	565
abs. power W/Voltage	2400 - 230V~50Hz
RPM	2800
weight	21 Kg
packing dim. (cm)	47 x 43 h 37
pcs for pallet	-

Q.ty: 20'=240 40'=480 40' HC=576

Floor loaded not available.



STANDARD EQUIPMENT



NEW



KAB 2W 1408 LP

- Three pistons, aluminium pump head with built-in by-pass valve
- Total stop
- Suction and delivery Stainless steel valves.
- Integrated detergent suction with external suction probe
- Pressure regulator.
- Glycerine pressure gauge.
- Accessory holder.
- Ergonomic handle.
- Trolley with wheels Ø 250 mm

code	on request
operating pressure bar	130 (max 140)
max delivery rate l/h	565
abs. power W/Voltage	2400 - 230V~50Hz
RPM	2800
weight	28 Kg
packing dim. (cm)	58 x 49,5 h 56
pcs for pallet	-

Q.ty: 40'=240 40' HC=320

Floor loaded not available.



STANDARD EQUIPMENT



NEW



KAB 1509 LP

STANDARD EQUIPMENT

- Three ceramic coated pistons, oversized brass linear pump head with built-in by-pass valve.
- Total stop
- Suction and delivery Stainless steel valves.
- Integrated detergent suction with external suction probe
- Pressure regulator.
- Glycerine pressure gauge.
- Accessory holder.
- Ergonomic handle.

code	36153-00001
operating pressure bar	130 (max 150)
max delivery rate l/h	565
abs. power W/Voltage	2400 - 230V~50Hz
RPM	2800
weight	23 Kg
packing dim. (cm)	47 x 43 h 37
pcs for pallet	-

Q.ty: 20'=240 40'=480 40' HC=576

Floor loaded not available.

26
36,5
Cm
42



KAB 2W 1509 LP

STANDARD EQUIPMENT

- Three ceramic coated pistons, oversized brass linear pump head with built-in by-pass valve.
- Total stop
- Suction and delivery Stainless steel valves.
- Integrated detergent suction with external suction probe
- Pressure regulator.
- Glycerine pressure gauge.
- Accessory holder.
- Ergonomic handle.
- Trolley with wheels Ø 250 mm

code	on request
operating pressure bar	130 (max 150)
max delivery rate l/h	565
abs. power W/Voltage	2400 - 230V~50Hz
RPM	2800
weight	30 Kg
packing dim. (cm)	58 x 49,5 h 56
pcs for pallet	-

Q.ty: 40'=240 40' HC=320

Floor loaded not available.

47
37
Cm
26





Maine 1409 XP

- Three steel pistons, **brass axial pump head** with built-in by-pass valve.
- Suction and delivery S. S. valves.
- Integrated detergent suction with external suction probe.
- Power cable holder.
- High pressure hose holder (8m).
- Accessory holder.
- Ergonomic handle.

code	36091-00001
operating pressure bar	140 (max 180)
max delivery rate l/h	540
abs. power W/Voltage	2800 - 230V~50Hz
RPM	2800
weight	23 Kg
packing dim. (cm)	39 x 39 h 71
pcs for pallet	18

Q.ty: 20'=198 40'=432 40' HC=432

Floor loaded not available.
Optional 10001-12876 hose reel with hose 10 m

95
39
Cm
34

STANDARD EQUIPMENT



Maine HR 1409 XP

- Three steel pistons, **brass axial pump head** with built-in by-pass valve.
- Suction and delivery S. S. valves.
- Integrated detergent suction with external suction probe.
- Power cable holder.
- Accessory holder.
- Ergonomic handle.
- **Hose-reel under pressure**
- **Full assembled**

code	36091-00016
operating pressure bar	140 (max 180)
max delivery rate l/h	540
abs. power W/Voltage	2800 - 230V~50Hz
RPM	2800
weight	26 Kg
packing dim. (cm)	93 x 43 h 51
pcs for pallet	12

Q.ty: 20'=120 40'=252 40' HC=252

Floor loaded not available.

95
39
Cm
34

STANDARD EQUIPMENT



Bolt 1510 LP

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three ceramic coated pistons, **brass linear pump head** with built-in by-pass valve
- Suction and delivery S/S valves
- Total stop
- Safety valve for overpressure
- Integrated detergent suction with external suction probe
- Power cable (5 m)
- Pressure regulator
- Glicerine pressure gauge

code	36086-00027
operating pressure bar	30÷150
max delivery rate l/h	540
abs. power W/Voltage	2800 - 230V~50Hz
RPM	1450
weight	36 Kg
packing dim. (cm)	60 x 40 h 54,5
pcs for pallet	8

Q.ty: 20'=132 40'=288 40' HC=384

Floor loaded not available.

87
85
Cm
52

STANDARD EQUIPMENT



Optional:

- 10002-08454 Hose reel with 10mt A.P. hose
- 10001-11604 Hose reel without A.P. hose



TS Total Stop

Available also: Bolt 1211 LP (36086-00005): 230V-50Hz - 120 bar (max 150) - 660 l/h - 2800W - 1450 RPM
Bolt 1509 LP (36086-00006): 230V-50Hz - 150 bar - 540 l/h - 2800W - 1450 RPM

Bosten 1510 LP

STANDARD EQUIPMENT



T.S. Total Stop

- Three ceramic coated pistons, **brass linear pump head** with built-in by-pass valve.
- Total stop
- Suction and delivery S. S. valves.
- Integrated detergent suction with external suction probe
- Stainless steel cover
- Pressure regulator.
- Glycerine pressure gauge.
- Accessory holder.
- Ergonomic handle.

code	36086-00053
operating pressure bar	30÷150
max delivery rate l/h	540
abs. power W/Voltage	2800 - 230V~50Hz
RPM	1450
weight	36 Kg
packing dim. (cm)	60 x 40 h 54
pcs for pallet	12

Q.ty: 20'=132 40'=288 40' HC=384

Floor loaded not available.



Available also: Bosten 1311 LP (on request): 230V-50Hz - 120 bar (max 150) - 660 l/h - 2800W - 1450 RPM



Optional:

- 10002-08454 Hose reel with 10mt A.P. hose
- 10001-11604 Hose reel without A.P. hose



Aral-R 1711 LP

STANDARD EQUIPMENT



T.V. Thermal Valve

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three ceramic coated pistons, **brass linear pump head** with built-in by-pass valve
- Suction and delivery S/S valves
- Safety valve for overpressure
- Power cable (5 m)
- Pressure regulator
- Glycerine pressure gauge

code	36083-00058
operating pressure bar	30÷170
max delivery rate l/h	660
abs. power W/Voltage	3500 - 230V~50Hz
RPM	1450
weight	60 Kg
packing dim. (cm)	59 x 72 h 64
pcs for pallet	6

Q.ty: 20'=66 40'=144 40' HC=144

Floor loaded not available.

Available also Aral-R 1211 cod. 36083-00021
125 bar max - 660 l/h max - 3000W



Available also 60Hz versions:
Aral-R 1211 on request: 220V-60Hz 1 ph. - 435÷1740 psi - 2.91 GPM - 3000W - 1700 RPM
Aral-R 2013 on request: 220V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 6800W - 1700 RPM
Available also 60Hz versions:
Aral-R 2013 on request: 400V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 6800W - 1700 RPM



Aral-R 2015 LP

STANDARD EQUIPMENT



T.V. Thermal Valve

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three ceramic coated pistons, **brass linear pump head** with built-in by-pass valve
- Suction and delivery S/S valves
- Safety valve for overpressure
- Integrated detergent suction with external suction probe
- Power cable (5 m)
- Pressure regulator
- Glycerine pressure gauge

code	36083-00023
operating pressure bar	30÷200
max delivery rate l/h	900
abs. power W/Voltage	7000 - 400V~50Hz
RPM	1450
weight	60 Kg
packing dim. (cm)	59 x 72 h 64
pcs for pallet	6

Q.ty: 20'=66 40'=144 40' HC=144

Floor loaded not available.



Available also Aral-R 1515 400V-50Hz - 150 bar - 900 l/h - 5000W - 1450 RPM
Available also Aral-R 2517 400V-50Hz - 250 bar - 1020 l/h - 9400W - 1450 RPM

Available also 60Hz versions:
Aral-R 2013 on request: 400V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 6800W - 1700 RPM





T.V. Thermal Valve

Thermic 6,5

- Unleaded gasoline engine
- Three S/S pistons, **brass linear pump head** with built-in by-pass valve
- By-pass thermal protection with safety valve
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge
- Accessory holder
- Hose-holder
- Ergonomic handle

code	36113-00027
operating pressure bar	30÷180 (max 210)
max delivery rate l/h	630
motor power hp	6,5
RPM	3600
weight (Kg)	40
packing dim. (cm)	47 x 57 h 57
pcs for pallet	16

Q.ty: 20'=144 40'=288 40' HC=384

Floor loaded not available.

83
47
Cm
47

STANDARD EQUIPMENT



T.V. Thermal Valve

Thermic 9.1L

- Unleaded gasoline engine
- Three ceramic pistons, **brass linear pump head** with built-in by-pass valve
- By-pass thermal protection with safety valve
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge
- Accessory holder
- Hose-holder
- Ergonomic handle

code	36113-00081
operating pressure bar	190 (max 200)
max delivery rate l/h	780
motor power hp	8
RPM	3400
weight	56 Kg
packing dim. (cm)	50 x 59 h 60
pcs for pallet	12

Q.ty: 20'=108 40'=240 40' HC= N.A.

Floor loaded not available.

68
97
Cm
53

STANDARD EQUIPMENT



NEW



T.S. Total Stop

Dakota R2 1310 XP

- 2 poles electrical induction motor 2800 RPM
- Three ceramic coated pistons, double sealing system **brass axial pump** with built-in by-pass valve
- Suction and delivery S. S. valves.
- Total Stop.
- Vertical Diesel burner with high thermal efficiency steel coil.
- Temperature regulation thermostat with high sensitive stainless steel sensor.
- Auxiliary motor for burner
- Detergent built-in tank (4,2 lt) for indirect suction.
- Pressure gauge
- Low Diesel light

code	36079-00010
operating pressure bar	30÷130
max delivery rate l/h	600
abs. power W/Voltage	3000 - 230V~50Hz
RPM	2800
weight	100 Kg
packing dim. (cm)	85 x 65 h 97
pcs for pallet	6

Q.ty: 20'=40 40'=82 40' HC=82

Floor loaded not available.



STANDARD EQUIPMENT



NEW



T.S. Total Stop 24V

Texas R2 1211 LP

- 4 poles electrical induction motor 1400 RPM with thermal protection
- **Brass linear pump** with three ceramic coated pistons, double water seal and built-in by-pass valve..
- Suction and delivery S. S. valves.
- Temperature regulation thermostat with high sensitive stainless steel sensor.
- Auxiliary motor for burner
- Delayed Total Stop
- Professional control panel with Microleaks detector, Maintenance alert light, Power light, Diesel reserve warning light
- Detergent built-in tank (4,2 lt) for indirect suction.
- Pressure gauge
- Low Diesel light

code	36079-00007
operating pressure bar	30÷135
max delivery rate l/h	660
abs. power W/Voltage	3000 - 230V~50Hz
RPM	1400
weight	112 Kg
packing dim. (cm)	85 x 65 h 97
pcs for pallet	6

Q.ty: 20'=40 40'=82 40' HC=82

Floor loaded not available.



STANDARD EQUIPMENT



NEW



T.S. Total Stop 24V

Texas R2 1811 LP

- 4 poles electrical induction motor 1400 RPM with thermal protection
- **Brass linear pump** with three ceramic coated pistons, double water seal and built-in by-pass valve..
- Suction and delivery S. S. valves.
- Temperature regulation thermostat with high sensitive stainless steel sensor.
- Auxiliary motor for burner
- Delayed Total Stop
- Professional control panel with Microleaks detector, Maintenance alert light, Power light, Diesel reserve warning light
- Detergent built-in tank (4,2 lt) for indirect suction.
- Pressure gauge
- Low Diesel light

code	36079-00009
operating pressure bar	30÷210
max delivery rate l/h	660
abs. power W/Voltage	3000 - 400V~50Hz
RPM	1450
weight	112 Kg
packing dim. (cm)	85 x 65 h 97
pcs for pallet	6

Q.ty: 20'=40 40'=82 40' HC=82

Floor loaded not available.



STANDARD EQUIPMENT



Frome 1211 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three stainless steel pistons with ceramic coating, brass linear pump head with built-in by-pass valve
- Total Stop.
- Suction and delivery S/S valves
- Vertical burner with high thermal efficiency steel coil
- Temperature regulation gauge
- Auxiliary motor for burner
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge with analogic controls
- Accessory holder
- Power cable holder (5m)
- Heavy duty steel frame
- Foaming wheels

code	36078-00057
operating pressure bar max	30÷110 (max 150)
max delivery rate l/h	660
abs. power W/Voltage	3000 - 230V~50Hz
RPM	1450
weight	125 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:
Frome 1211 220V-60Hz 1 ph. - 435÷1595 psi - 2.85 GPM - 3200W - 1700 RPM



Frome 1515 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three full ceramic pistons, brass linear pump head with built-in by-pass valve
- Total Stop.
- Suction and delivery S/S valves
- Vertical burner with high thermal efficiency steel coil
- Temperature regulation gauge
- Auxiliary motor for burner
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge with analogic controls
- Accessory holder
- Power cable holder (5m)
- Heavy duty steel frame
- Foaming wheels

code	on request
operating pressure bar max	30÷110 (max 150)
max delivery rate l/h	900
abs. power W/Voltage	5500 - 400V~50Hz
RPM	1450
weight	140 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:
Frome 1513 220/380V-60Hz 3 ph. - 435÷2175 psi - 3.89 GPM - 5000W - 1700 RPM
Frome 1813 (on request): 400V-50Hz - 180 bar - 780 l/h - 5500W - 1450 RPM



Frome 2015 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection
- Three full ceramic pistons, brass linear pump head with built-in by-pass valve
- Total Stop.
- Suction and delivery S/S valves
- Vertical burner with high thermal efficiency steel coil
- Temperature regulation gauge
- Auxiliary motor for burner
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge with analogic controls
- Accessory holder
- Power cable holder (5m)
- Heavy duty steel frame
- Foaming wheels

code	36078-00051
operating pressure bar max	30÷190 (max 200)
max delivery rate l/h	900
abs. power W/Voltage	7300 - 400V~50Hz
RPM	1450
weight	144,5 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:
Frome 2013 220/380V-60Hz 3 ph. - 435÷2900 psi - 3.89 GPM - 6400W - 1700 RPM



Heat 1211 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection. Three pistons, brass linear pump head with built-in by-pass valve.
- Total Stop.
- Suction and delivery S. S. valves.
- Vertical burner with high thermal efficiency steel coil.
- Low pressure detergent flow with integrated detergent tank (optional).
- Auxiliary motor for burner air-cooling and two ways fuel pump.
- Temperature regulation gauge with high sensitive stainless steel sensor.
- Safety valve.
- Panel with analogic controls.
- **Hose reel (optional).**
- **Power led**
- **Low Diesel light**

code	36078-00033
operating pressure bar max	30+110 (max 150)
max delivery rate l/h	660
abs. power W/Voltage	3000 - 230V~50Hz
RPM	1450
weight	128 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:

Heat 1211 220V-60Hz 1 ph. - 435+1595 psi - 2.85 GPM - 3200W - 1700 RPM



Heat 1515 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection. Three pistons, brass linear pump head with built-in by-pass valve.
- Total Stop.
- Suction and delivery S. S. valves.
- Vertical burner with high thermal efficiency steel coil.
- Low pressure detergent flow with integrated detergent tank (optional).
- Auxiliary motor for burner air-cooling and two ways fuel pump.
- Temperature regulation gauge with high sensitive stainless steel sensor.
- Safety valve.
- Panel with analogic controls.
- **Hose reel (optional).**
- **Power led**
- **Low Diesel light**

code	36078-00034
operating pressure bar max	30+150 (max 180)
max delivery rate l/h	900
abs. power W/Voltage	5500 - 400V~50Hz
RPM	1450
weight	140 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:

Heat 1513 220/380V-60Hz 3 ph. - 435+2175 psi - 3.89 GPM - 5000W - 1700 RPM



Heat 2015 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT



T.V. Thermal Valve **T.S.** Total Stop

- 4 poles electrical motor (1450 RPM) with thermal protection. Three ceramic pistons, brass linear pump head with built-in by-pass valve.
- Total Stop.
- Suction and delivery S. S. valves.
- Vertical burner with high thermal efficiency steel coil.
- Low pressure detergent flow with integrated detergent tank (optional).
- Auxiliary motor for burner air-cooling and two ways fuel pump.
- Temperature regulation gauge with high sensitive stainless steel sensor.
- Safety valve.
- Panel with analogic controls.
- **Hose reel (optional).**
- **Power led**
- **Low Diesel light**

code	36078-00035
operating pressure bar max	30+200 (max 210)
max delivery rate l/h	900
abs. power W/Voltage	7300 - 400V~50Hz
RPM	1450
weight	144,5 Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

Available also 60Hz versions:

Heat 2013 220/380V-60Hz 3 ph. - 435+2900 psi - 3.89 GPM - 6400W - 1700 RPM



Heat 2021 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT

- 4 poles electrical motor (1450 RPM) with thermal protection. Three ceramic pistons, brass linear pump head with flanged by-pass valve.
- **Delayed Total Stop.**
- Suction and delivery S. S. valves.
- Vertical burner with high thermal efficiency steel coil.
- Low pressure detergent flow with integrated detergent tank (optional).
- Auxiliary motor for burner air-cooling and two ways fuel pump.
- Temperature regulation gauge with high sensitive stainless steel sensor.
- Safety valve.
- **Ordinary maintenance alarm**
- **Power led**
- **Low Diesel light**
- **Microleaks detection**
- **Hose reel (optional).**

code	36078-00047
operating pressure bar max	30÷200 (max 230)
max delivery rate l/h	1260
abs. power W/Voltage	9700 - 400V~50Hz
RPM	1450
weight	146,5Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

83 105
Cm 69



Heat 2515 LP (Hot water H.P. cleaner)

STANDARD EQUIPMENT


- 4 poles electrical motor (1450 RPM) with thermal protection. Three ceramic pistons, brass linear pump head with flanged by-pass valve.
- **Delayed Total Stop.**
- Suction and delivery S. S. valves.
- Vertical burner with high thermal efficiency steel coil.
- Low pressure detergent flow with integrated detergent tank (optional).
- Auxiliary motor for burner air-cooling and two ways fuel pump.
- Temperature regulation gauge with high sensitive stainless steel sensor.
- Safety valve.
- **Ordinary maintenance alarm**
- **Power led**
- **Low Diesel light**
- **Microleaks detection**
- **Hose reel (optional).**

code	36078-00053
operating pressure bar max	30÷250 (max 280)
max delivery rate l/h	900
abs. power W/Voltage	9400 - 400V~50Hz
RPM	1450
weight	146,5Kg
packing dim. (cm)	120 x 74 h 101
pcs for pallet	1

Q.ty: 20'=24 40'=54 40' HC=54

Floor loaded not available.

83 105
Cm 69



NEW



Nyo

- Cordless Backpack Vacuum Cleaner
- The complete set of attachments helps to clean hard-to-reach areas efficiently.
- It is ideal for airplane cabs, buses, trains, cinemas and theaters.
- LAVOR backpack vacuum cleaner makes it easier and quicker to clean particularly small spaces.
- It is comfortable to wear thanks to its low weight and its adjustable padded shoulders.
- The convenient tool belt ensures that additional nozzles and adapters are always within easy reach, enabling access to even the most difficult corners.
- The filter guarantees excellent filtration of the finest dust particles and the return of perfectly clean air into the environment.

code	40056-00003
barcode	8013298221714
Power W	350W
Column depress. mbar/kPa	130/13
Approx. runtime	45 min
Suction air l/s	20.2
weight (Kg)	4,9
packing dim. (cm)	30 x 30 h 59
pcs for pallet	30

Load Q.ty: 20'=330 40'=710 40' HC=852



STANDARD EQUIPMENT



Silent

- Silenced single stage motor (high efficiency).
- Integrated accessory holder.
- Shock and overturn proof design.
- 12 litre plastic tank (PP)
- Cloth filter
- Rotating ON/OFF switch
- Paper collector filter.
- 10 m power cable high visibility.
- Collector filter
- Kit hepa filter + gasket code 10001-13660 (optional)
- Accessories Ø 32

code	40025-00019
barcode	8013298068487
Power W	800W
Column depress. mbar/kPa	240/24
Tank capacity l.	12
Suction air l/s	44
weight (Kg)	6,8
packing dim. (cm)	39 x 38,5 h 37
pcs for pallet	30

Load Q.ty: 20'=504 40'=1044 40' HC=1189



STANDARD EQUIPMENT



Whisper

- Ultra silenced single stage motor (high efficiency).
- Microfiber collector and hepa filter.
- Full collector filter indicator.
- Exhaust air filter. Integrated accessory holder.
- Shock & overturn proof design.
- 15 l plastic tank
- 10 m power cable.
- Accessories Ø 32

code	40006-00021
barcode	8013298216833
Power W	800W
Column depress. mbar/kPa	240/24
Tank capacity l.	15
Suction air l/s	44
weight (Kg)	8,5
packing dim. (cm)	49 x 42 h 38
pcs for pallet	20

Load Q.ty: 20'=330 40'=710 40' HC=852



STANDARD EQUIPMENT



Wet & Dry professional vacuum cleaners



The Professional range of LAVOR vacuum cleaners provides the solution for every kind of heavy duty daily use. Designed to be user friendly, they are equipped with ergonomic handle, big wheels and stable trolley offering the final answer to the needs of cleaning contractors, industries, workshops, car washing station etc. This feature avoids shocks to the end user, making usage easier. The filter area can be reached easily and the wide float seat grants stability on the floor during filter cleaning session.

Dozer 120 IF

STANDARD EQUIPMENT



- High efficiency by pass motor.
- Suction system with by-pass cooling.
- S. S. tank.
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 5,4 m power cable.
- Accessories Ø 32.
- Handy accessory holder.

code	40035-00041
barcode	8013298222773
Power W	1300 (max 1500)
Column depress. mbar/kPa	240/24
Tank capacity l.	20
Suction air l/s	65
weight (Kg)	8
packing dim. (cm)	38,5 x 38,5 h 51
pcs for pallet	N.A



Dozer 130 IF

STANDARD EQUIPMENT



- High efficiency by pass motor.
- Suction system with by-pass cooling.
- S. S. tank.
- Shock proof trolley.
- Liquid float valve.
- Washable filter.
- 5,4 m power cable.
- Accessories Ø 32.
- Handy accessory holder.

code	40035-00042
barcode	8013298222803
Power W	1300 (max 1500)
Column depress. mbar/kPa	240/24
Tank capacity l.	30
Suction air l/s	65
weight (Kg)	9
packing dim. (cm)	38,5 x 38,5 h 66
pcs for pallet	N.A





Dozer 260 IR

- 2 silenced two stage motor.
- Suction system with by-pass cooling.
- S/S tank.
- Professional closing hooks.
- Static electric shock inhibitor.
- Flex hose 2,5 m Ø 40
- Drain hose system.
- Metal extension pipe
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Tilting tank
- Filter cleaning system
- Optional: 00070-00603 cartridge filter

code	40031-00002
barcode	8013298067251
Power W	2000 (max 2400)
Column depress. mbar/kPa	210/21
Tank capacity l.	60
Suction air l/s	90
weight (Kg)	26
packing dim. (cm)	64 x 70 h 85
pcs for pallet	N.A

Load Q.ty: 20'=70 40'=145 40' HC=160



STANDARD EQUIPMENT



Dozer 260 IRE

- 2 silenced two stage motor.
- Suction system with by-pass cooling.
- S/S tank.
- Professional closing hooks.
- Static electric shock inhibitor.
- Flex hose 2,5 m Ø 40
- Drain hose system.
- Metal extension pipe
- **Power tools socket**
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Tilting tank
- Filter cleaning system
- Optional: 00070-00603 cartridge filter

code	40031-00009
barcode	8013298068203
Power W	2000 (max 2400)
Column depress. mbar/kPa	210/21
Tank capacity l.	60
Suction air l/s	90
weight (Kg)	26
packing dim. (cm)	64 x 70 h 85
pcs for pallet	N.A

Load Q.ty: 20'=70 40'=145 40' HC=160



STANDARD EQUIPMENT



Dozer 360 IR

- 3 silenced two stage motor.
- Suction system with by-pass cooling.
- S/S tank.
- Professional closing hooks.
- Static electric shock inhibitor.
- Flex hose 2,5 m Ø 40
- Drain hose system.
- Metal extension pipe
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Tilting tank
- Filter cleaning system
- Optional: 00070-00603 cartridge filter

code	40032-00002
barcode	8013298067237
Power W	3000 (max 3600)
Column depress. mbar/kPa	210/21
Tank capacity l.	60
Suction air l/s	132
weight (Kg)	28
packing dim. (cm)	64 x 70 h 85
pcs for pallet	N.A

Load Q.ty: 20'=70 40'=145 40' HC=160



STANDARD EQUIPMENT





Dozer 280 IR

- 2 silenced two stage motor.
- Suction system with by-pass cooling.
- S/S tank.
- Professional closing hooks.
- Static electric shock inhibitor.
- Flex hose 2,5 m Ø 40
- Drain hose system.
- Metal extension pipe
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Tilting tank
- Filter cleaning system

code	40031-00001
barcode	8013298067244
Power W	2000 (max 2400)
Column depress. mbar/kPa	210/21
Tank capacity l.	80
Suction air l/s	90
weight (Kg)	27,5
packing dim. (cm)	64 x 70 h 100,5
pcs for pallet	N.A

Load Q.ty: 20'=54 40'=108 40' HC=140



STANDARD EQUIPMENT



Dozer 380 IR


- 3 silenced two stage motor.
- Suction system with by-pass cooling.
- S/S tank.
- Professional closing hooks.
- Static electric shock inhibitor.
- Flex hose 2,5 m Ø 40
- Drain hose system.
- Metal extension pipe
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Tilting tank
- Filter cleaning system

code	40032-00001
barcode	8013298067220
Power W	3000 (max 3600)
Column depress. mbar/kPa	210/21
Tank capacity l.	80
Suction air l/s	132
weight (Kg)	32,8
packing dim. (cm)	64 x 70 h 100,5
pcs for pallet	N.A

Load Q.ty: 20'=54 40'=108 40' HC=140



STANDARD EQUIPMENT



Professional carpet cleaners



Carpet Cleaners with injection/extraction washing for carpet, sofas and armchairs. For the hygiene and sterilisation of the surfaces with water power and specific detergents studied for the cleanness of carpet, sofas and armchairs. Equipped with powerful and silent high speed motor with by-pass cooling. Unlimited autonomy – no stop refilling whenever the light is on. Thanks to the rich standard equipment is a precious and absolutely necessary cleaning tool for all tissue surfaces.

Jupiter

STANDARD EQUIPMENT

- Spray-extraction cleaner with a separate anti-foaming tank.
- Thorough cleaning through the 4 bar spray pressure and 230 mbar suction power.
- Spray and extraction functions are separately operable.
- Separate fresh and wastewater tanks, each containing 6,5 l. Separate container for anti-foaming agent.
- Long stainless steel vacuum tube for convenient, effortless work.
- 7,5 m power cable.
- Rubber-coated castor wheels and large back wheels.

code	40038-00001
barcode	8013298191871
voltage	230V-50Hz
n°motors-power	1-1100W
column depression	23 kPa/2300 mmH ₂ O
air suction	50 l/s
total volume/dust/liquid	6,5 l/5 l/6 l
dimension (cm)/weight	60 x 40 h 48/15,75 kg

63,5
55
Cm
35



00014-01066



Dozer 280 IE

STANDARD EQUIPMENT


- 2 silenced two stage motor.
- Suction system with by-pass cooling.
- S. S. tank.
- Detergent pump (2x48W – 0,7-1,2 l/m – 5 bar).
- Professional closing hooks.
- Static electric shock inhibitor.
- Tilting tank.
- Fully removable tank.
- 11 l. detergent tank.
- Shock proof trolley.
- Liquid float valve.
- Cloth filter.
- 10 m power cable.
- Easy standing head (during filter cleaning).
- Traceless wheels.
- Accessories Ø 40.

code	on request
barcode	-
Power W	2200 (max 2400)
Column depress. mbar/kPa	220/22
Tank capacity l.	78
Suction air l/s	108
weight (Kg)	35,5
packing dim. (cm)	62 x 51 h 99
pcs for pallet	N.A

96
65
Cm
60



Professional floor-scrubber driers



The Lavor product range has been further increased with the addition of new product families; being able to offer a wide and complete selection of products is essential to provide a 360° solutions series in the cleaning sector. Scrubber driers and sweepers complete the already wide Lavor range: they are indispensable tools for keeping the outdoor and indoor spaces of commercial activities tidy and clean.

Fit 35B Li

- Compact design for easy operation
- Cordless design with Lithium-ion battery
- Height adjustment handle
- Foldable design for easy storage
- High speed rolling brush
- Detachable water tanks
- LED lights at front and switches
- Easy maintenance for scrubbers and brush
- Suitable for many commercial and household occasions
- Li-ion battery and battery charger included

code	37024-00001
barcode	8013298122769
scrubbing/squeegee width	350/422 mm
max working capacity	1500 m ² /h
solution tank capacity	1,9 l
recovery tank capacity	1,50 l
traction	mechanical
RPM	350
brush motor power	32 W
suction/vacuum motor	500 mm H ₂ O/70W
dimension (cm)/weight	55 x 50 x 31/14 Kg

116
Cm
44,7
42

STANDARD EQUIPMENT



Set 43B Li

- Long battery life: up to 90 minutes (ECO mode)
- Cleaning efficiency: up to 1200 m²/h
- Extra-large water tanks: 5L (solution) + 8L (recovery)
- Ultra-lightweight design: 20 kg (empty tanks)
- High-speed dual brushes: 380 rpm
- Effortless and labor-saving: +50% improved efficiency
- Faster and deeper cleaning
- Smarter and more digital management
- Quick brush and squeegee replacement without tools
- Ready to use: lithium battery and standard charger included

code	37038-00001
barcode	8013298222025
scrubbing/squeegee width	430/450 mm
max working capacity	1200 m ² /h
solution tank capacity	5 l
recovery tank capacity	8 l
traction	mechanical
RPM	380
brush motor power	120 W
suction/vacuum motor	600 mm H ₂ O/400W
dimension (cm)/weight	45 x 39 x 119/20 Kg

116
Cm
44,7
42

STANDARD EQUIPMENT



Free eva 50E



- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant

code	37031-00004
barcode	-
power supply	230V-50Hz
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m ² /h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	mechanical
RPM	145
brush motor power	550 W
suction/vacuum motor	1700 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/95 Kg

Load Q.ty: 20'=32 40'=72



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



Free eva 50B



- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant

code	37031-00006
barcode	-
power supply	24V
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m ² /h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	mechanical
RPM	145
brush motor power	550 W
suction/vacuum motor	1280 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/62 Kg

Load Q.ty: 20'=32 40'=72



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



Free eva 50B



- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- **Battery charger included**

code	37031-00139
barcode	-
power supply	24V
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m ² /h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	mechanical
RPM	145
brush motor power	550 W
suction/vacuum motor	1280 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/62 Kg

Load Q.ty: 20'=32 40'=72

Available cod. 37031-00177 Free Evo 50B Lithium battery



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



00056-00106





Free evo 50B

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- **Batteries and battery charger included**

code	37031-00138
barcode	-
power supply	24V
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m²/h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	Automatic/150W
RPM	145
brush motor power	550 W
suction/vacuum motor	1280 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/66 Kg

Load Q.ty: 20'=32 40'=72



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



00055-00151



00056-00106



CHARGER



1



STOP



LEVEL



Free evo 50BT

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- Automatic traction motor

code	37031-00015
barcode	-
power supply	24V
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m²/h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	Automatic/150W
RPM	145
brush motor power	550 W
suction/vacuum motor	1280 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/66 Kg

Load Q.ty: 20'=32 40'=72



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



1



STOP



LEVEL



Free evo 50BT

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m²)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- Automatic traction motor
- **Battery charger included**

code	37031-00134
barcode	-
power supply	24V
scrubbing/squeegee width	500/800 mm
max working capacity	2000 m²/h
solution tank capacity	44 l
recovery tank capacity	60 l
traction	Automatic/150W
RPM	145
brush motor power	550 W
suction/vacuum motor	1280 mm H ₂ O/800W
dimension (cm)/weight	116 x 46 h 98/66 Kg

Load Q.ty: 20'=32 40'=72

Available also model free evo 50 BT code 37031-00017 with battery and battery charger included

Available cod. 37031-00179 Free Evo 50BT Lithium battery



STANDARD EQUIPMENT



10002-08127



00005-02298 Front
00005-02297 Rear



00056-00106



CHARGER



1



STOP



LEVEL

XXS Mini 55BT



NEW

- 22 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)

code	37035-00001
barcode	8013298217311
power supply	24V
scrubbing/squeegee width	550/650 mm
max working capacity	3000 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ₂ O/400W
dimension (cm)/weight	117 x 65 h 118/128 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00037 XXS mini 55BT Lithium battery
Available cod. 37035-00041 XXS mini 55BT with detergent



STANDARD EQUIPMENT



10002-14574



00005-02370 Front
00005-02371 Rear



XXS Mini 55BT



NEW

- 22 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)
- With on-board battery charger included

code	37035-00027
barcode	8013298221523
power supply	24V
scrubbing/squeegee width	550/650 mm
max working capacity	3000 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ₂ O/400W
dimension (cm)/weight	117 x 65 h 118/128 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00029 XXS mini 55BT with battery charger, detergent and USB



STANDARD EQUIPMENT



10002-14574



00005-02370 Front
00005-02371 Rear



00056-00108



XXS Mini 55BT



NEW

- 22 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)
- With batteries and on-board battery charger included

code	37035-00003
barcode	8013298218868
power supply	24V
scrubbing/squeegee width	550/650 mm
max working capacity	3000 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ₂ O/400W
dimension (cm)/weight	117 x 65 h 118/128 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00030 XXS mini 55BT with battery and battery charger, detergent and USB



10002-14574



00005-02370 Front
00005-02371 Rear



00055-00180



00056-00108





XXS Mini 60BT

- 28 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)

code	37035-00002
barcode	8013298217441
power supply	24V
scrubbing/squeegee width	600/650 mm
max working capacity	3300 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ² O/400W
dimension (cm)/weight	117 x 65 h 118/133 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00039 XXS mini 60BT Lithium battery



STANDARD EQUIPMENT



XXS Mini 60BT

- 28 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)
- With on-board battery charger included

code	37035-00028
barcode	8013298221530
power supply	24V
scrubbing/squeegee width	600/650 mm
max working capacity	3300 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ² O/400W
dimension (cm)/weight	117 x 65 h 118/133 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00031 XXS mini 60BT with battery charger, detergent and USB



STANDARD EQUIPMENT



XXS Mini 60BT

- 28 kg. of constant pressure on the brushes.
- Great working autonomy thanks to the possibility to use 2 batteries 12 V 105 Ah and to rear wheel-drive.
- Large load tank capacity, resulting in reduced numbers of stops and maximum use of battery for effective operation of the machine.
- Ergonomic steering wheel of new design with user friendly controls and digital display.
- Machine specifically designed for cleaning in narrow lanes
- Inspection cover for fast and easy cleaning and sanitification of dirt water tank.
- Automatic device that stops brushes and detergent water outflow when the machine is stationary.
- Self-levelling brush plate.
- Automatic detergent dosing system (optional)
- With batteries and on-board battery charger included

code	37035-00005
barcode	8013298218882
power supply	24V
scrubbing/squeegee width	600/650 mm
max working capacity	3300 m ² /h
solution tank capacity	70 l
recovery tank capacity	75 l
traction	Automatic/300W
brush RPM	150
brush motor power	380 W
suction/vacuum motor	1300 mm H ² O/400W
dimension (cm)/weight	117 x 65 h 118/133 Kg

Load Q.ty: 20'=13 40'=28 40' HC=56

Available cod. 37035-00032 XXS mini 60BT with battery and battery charger, detergent and USB



STANDARD EQUIPMENT



Professional sweepers



Sweepers LAVOR, a solution to each dirt collection need both indoor and outdoor. Ideal for medium to large areas, garages, large squares, condominiums, public bodies, to keep everything clean and tidy quickly and gaining time. Quicker than a besom. The sweeper is ideal for sweeping medium to large areas with a quickness 4 times higher than a usual besom. Emptying the collected waste is easy thanks to the integrated tank. Sweeping in the corners. Using the side brush it is possible to sweep also corners and boards. The aim of the side brush is to move dirt out of borders and to pull it into toward the centre, where the central brush can collect into the tank.

BSW 950MF

- Ideal for small and medium surfaces
- Wide collector tank with Filtering system
- Rear collector tank with cartridge filter with fan for dust extraction
- Side brush lifting
- Main brush pressure regulation
- Separate side brush
- Adjustable working load on the brush
- Tilting handle
- 360° front wheel
- Shock proof frame
- Hourly efficiency (max) 3500 m²/h.
- Working area (2 side brush) 480 (950) mm.



code	39001-00029
barcode	8013298150724
main brush width	480 mm
main brush + 2 side brushes	950 mm
collector tank	45 lt
max working capacity	3500 m ² /h
traction	manual
brushes transmission	elastic belt
pressure on the brushes	adjustable
side brush	lifting arm system
dust-laying system	direct
filtering system	plated figer
dimension (cm)/weight	88 x 80 h 39/29 kg

Load Q.ty: 20'=94 40'=216



STANDARD EQUIPMENT



SWL R 950 ET

- Foot pedal brake
- Parking brake
- Brush electric control
- Reverse lighting and acoustic warning
- Water system for dust reduction with rear tank
- Charge meter
- Hour meter
- Large filter surface with electric filter shaker
- Horizontal cartridge filter
- Main brush pressure adjustment
- Rear indirect collection tank
- Main brush quick release
- Long life elastic belts
- Heavy duty steel frame
- Motorized side brushes
- LED headlight
- Battery and battery charger not included



code	39002-00067
barcode	8013298150120
main brush width	450 mm
main brush + 1 side brushes	750 mm
collector tank	50 lt
max working capacity	6000 m ² /h
traction	mechanical
pressure on the brushes	2 x 120 N
motor type/power	48V/800W
filter shaker	electric
dimension (cm)/weight	80 x 135 h 110/225 kg

Load Q.ty: 40'=15



STANDARD EQUIPMENT



CL6.0/CL6.2

Electric motor high-pressure pumps



Model	Right shaft ver.	Left shaft ver.	RPM		Max. pressure			Flow rate				Requested power				Weight	
	Code	Code			bar	psi	MPa	l/m		GPM		HP		kW		kg	lbs
CL 6 40-30S	31019-00033	On request	1450	1750	207	3000	20,7	15	18	4	4,7	7,5	9,5	5,5	7,1	10	21,9
CL 6 40-40S	31019-00036	On request	1450	1750	276	4000	27,8	15	18	4	4,7	11	12,7	8,2	9,5	11	24,1
CL 6 55-30S	31019-00037	On request	1450		207	3000	20,7	21		5.5		10		7,5		10	21,9
CL 6.2 40-30E	31019-00040	On request	1450	1750	207	3000	20,7	15	18	4	4,7	7,5	9,5	5,5	7,1	10	21,9
CL 6.2 40-40E	31019-00041	On request	1450	1750	276	4000	27,8	15	18	4	4,7	11	12,7	8,2	9,5	11	24,1
CL 6.2 50-30E	31019-00043	On request	1450		207	3000	20,7	18		4,7		9		6,7		10	21,9

CL4.0

Electric motor high-pressure pumps



Model	Right shaft ver.	Left shaft ver.	RPM		Max. pressure			Flow rate				Requested power				Weight	
	Code	Code			bar	psi	MPa	l/m		GPM		HP		kW		kg	lbs
CL 44-15 9-200	31052-00021	31052-00022	1450	1750	200	2900	20	9	11	2.4	2.9	4,9	6	3,6	4,4	6,6	14,5
CL 44-15 11-200	31052-00023	31052-00024	1450	1750	200	2900	20	11	13	2.9	3.5	6	6,5	4,4	4,8	6,6	14,5
CL 44-18 15-200	31053-00006	31053-00008	1450	1750	250	3600	25	15	18	4	4.7	7,5	9,2	5,5	6,9	7	15,4

CL2.5

Electric motor high-pressure pumps



Model	Right shaft ver.	Left shaft ver.	RPM	Max. pressure			Flow rate		Requested power		Weight	
	Code	Code		bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
CL 2.5 aluminium	31009-00021	On request	2800	130	1900	13	8.7	2.3	3.2	2.4	3,5	7,7
CL 2.5 brass	31009-00022	On request	2800	130	1900	13	8.7	2.3	3.2	2.4	4,4	9,7

Available also with brass pump head

Omnia 12

Electric motor high-pressure pumps



Model	Right shaft ver.	Left shaft ver.	RPM	Max. pressure			Flow rate		Requested power		Weight	
	Code	Code		bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
MPBX 1-12 9-140	On request	On request	2800	140	2030	14	9	2,37		2,8	13	28,6
MPBX 1-12 9-140	On request	On request	3400	140	2030	14	9	2,37		2,8	13	28,6

TPAH3



Gasoline motor-pumps units

Model	Code	RPM	Max. pressure			Flow rate		Requested power		Weight	
			bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
TPAH3 30-24	On request	3400	180	2700	18	9	2,4	6,5	4,8	2	4,40

TPBH3



Gasoline motor-pumps units

Model	Code	RPM	Max. pressure			Flow rate		Requested power		Weight	
			bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
TPBH3 30-24	On request	3400	200	2900	20	9	2,4	6,5	4,8	2,40	5,29

TPAH5



Gasoline motor-pumps units

Model	Code	RPM	Max. pressure			Flow rate		Requested power		Weight	
			bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
TPAH5 23-22	10002-16797	3400	159	2300	15,9	8,3	2,2	3,8	2,8	2,1	4,6
TPAH5 27-22	10002-16798	3400	185	2700	18,5	8,3	2,2	4,4	3,3	2,4	5,3


TPBH5



Gasoline motor-pumps units and electric motor high pressure pumps

Model	Code	RPM	Max. pressure			Flow rate		Requested power		Weight	
			bar	psi	MPa	l/m	GPM	HP	kW	kg	lbs
TPBH5 25-22	10002-16799	3400	170	2500	17	8,3	2,2	4,1	3	2,9	6,4
TPBH5 30-24	10002-16800	3400	200	2900	20	9	2,4	5,5	4,1	3,1	6,8

**PRIVATE LABELS**



A wide range of electric and combustion engine domestic and professional pressure washers, vacuum cleaners, offering every customer the most suitable appliance for his market.

With more than forty years of manufacturing experience, Lavorwash gives its customers the possibility of ordering **"tailor made"** products to meet all their requirements.

Modern Italian Technology, Design, Quality, Flexibility and Fast Reaction are features that have always been the Milestone of our Company.



GENERAL TERMS OF SALE Goods travel at
buyer's risk. Images and technical specifications of
products and accessories are not binding and can be
modified without notice.





Follow us on
  

SMETA[®]



Management system certified
ISO 9001



LAVOR

PART OF  **COMETGROUP**

Manufacturing and Internal Sales China Market: **Yongkang Lavor Wash Equipment CO., LTD**

Add: No.80 Huacheng West Road. - Yongkang City, Zhejiang - China (zip code 321300)

Tel: 0086 057987205326 | Fax: 0086 057987102022

sales.lavorchina@vip.163.com | www.lavorchina.cn

International sales: **LAVORWASH S.p.A.** J.F.Kennedy, 12 - 46020 Pegognaga (MN) Italy

0039 0376 55431 | info@lavor.com | lavor.com